

HODGKIN LYMPHOMA
Incidence

Table 1. Hodgkin Lymphoma. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	190	3.1	2.7-3.6	115	3.8	3.1-4.7	75	2.5	1.9-3.1
1989	170	2.9	2.5-3.4	108	3.9	3.1-4.8	62	2.0	1.5-2.6
1990	188	3.1	2.6-3.5	100	3.3	2.7-4.1	88	2.8	2.2-3.5
1991	189	3.1	2.7-3.6	122	4.0	3.3-4.9	67	2.2	1.7-2.8
1992	152	2.4	2.1-2.9	81	2.7	2.1-3.4	71	2.3	1.8-2.9
1993	153	2.5	2.1-2.9	75	2.6	2.0-3.3	78	2.5	2.0-3.1
1994	155	2.5	2.1-2.9	87	3.0	2.4-3.8	68	2.1	1.6-2.7
1995	142	2.2	1.9-2.7	86	2.8	2.2-3.5	56	1.8	1.4-2.4
1996	186	2.9	2.5-3.4	96	3.1	2.5-3.9	90	2.8	2.3-3.5
1997	167	2.6	2.2-3.0	82	2.5	2.0-3.2	85	2.6	2.1-3.2
1998	175	2.7	2.4-3.2	94	3.1	2.5-3.8	81	2.5	2.0-3.1
1999	161	2.5	2.1-2.9	89	3.0	2.4-3.7	72	2.1	1.7-2.7
2000	176	2.6	2.3-3.1	110	3.3	2.7-4.0	66	2.0	1.5-2.5
2001	173	2.6	2.2-3.0	99	3.0	2.4-3.7	74	2.2	1.7-2.8
2002	168	2.5	2.1-2.9	99	3.0	2.4-3.7	69	2.1	1.6-2.6
2003	163	2.5	2.1-2.9	101	3.1	2.5-3.8	62	1.9	1.5-2.5
2004	172	2.6	2.2-3.0	93	2.9	2.3-3.6	79	2.4	1.9-3.0
2005	177	2.7	2.3-3.1	99	3.0	2.5-3.7	78	2.4	1.9-3.0
WHITE (non-Hispanic)									
1988	143	3.8	3.2-4.5	87	4.6	3.7-5.8	56	3.0	2.2-4.0
1989	130	3.6	3.0-4.3	82	4.7	3.7-5.9	48	2.6	1.9-3.6
1990	137	3.8	3.2-4.6	71	4.0	3.1-5.2	66	3.6	2.8-4.6
1991	149	4.2	3.5-5.0	96	5.5	4.4-6.8	53	2.9	2.2-3.9
1992	103	2.9	2.4-3.6	51	2.9	2.1-3.9	52	3.0	2.2-4.1
1993	107	3.1	2.5-3.8	55	3.2	2.4-4.3	52	3.0	2.2-4.0
1994	104	2.9	2.3-3.5	61	3.5	2.7-4.6	43	2.3	1.7-3.2
1995	104	3.0	2.4-3.7	61	3.4	2.6-4.4	43	2.7	1.9-3.7
1996	125	3.7	3.1-4.5	60	3.6	2.7-4.7	65	3.8	2.9-5.0
1997	99	3.0	2.4-3.6	51	3.1	2.3-4.1	48	2.8	2.0-3.8
1998	117	3.5	2.9-4.3	70	4.3	3.3-5.5	47	2.8	2.1-3.9
1999	108	3.1	2.6-3.8	57	3.5	2.6-4.5	51	3.0	2.2-4.0
2000	106	3.2	2.6-3.9	63	3.7	2.9-4.8	43	2.6	1.9-3.6
2001	114	3.5	2.9-4.2	66	4.0	3.1-5.2	48	3.0	2.2-4.1
2002	103	3.3	2.6-4.0	60	3.9	2.9-5.0	43	2.7	1.9-3.6
2003	101	3.3	2.7-4.1	64	3.9	3.0-5.1	37	2.8	2.0-3.9
2004	95	3.1	2.5-3.9	48	3.1	2.3-4.2	47	3.2	2.3-4.3
2005	103	3.4	2.8-4.2	60	4.0	3.0-5.2	43	2.9	2.1-4.0

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

HODGKIN LYMPHOMA
Incidence

Table 1. Hodgkin Lymphoma. Annual Case Counts, Age-Adjusted (2000 US Population Standard) (cont) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	13	-	-	8	-	-	5	-	-
1989	12	-	-	8	-	-	<5	-	-
1990	19	3.8	2.2-6.5	10	-	-	9	-	-
1991	14	-	-	9	-	-	5	-	-
1992	14	-	-	7	-	-	7	-	-
1993	18	3.6	2.1-6.1	9	-	-	9	-	-
1994	13	-	-	9	-	-	<5	-	-
1995	5	-	-	<5	-	-	<5	-	-
1996	16	3.5	2.0-6.0	9	-	-	7	-	-
1997	20	4.1	2.5-6.6	9	-	-	11	-	-
1998	5	-	-	<5	-	-	<5	-	-
1999	14	-	-	10	-	-	<5	-	-
2000	9	-	-	<5	-	-	5	-	-
2001	<5	-	-	<5	-	-	<5	-	-
2002	11	-	-	<5	-	-	7	-	-
2003	6	-	-	<5	-	-	<5	-	-
2004	19	4.2	2.5-6.8	12	-	-	7	-	-
2005	13	-	-	8	-	-	5	-	-
HISPANIC									
1988	24	3.2	1.9-5.5	14	-	-	10	-	-
1989	15	1.7	0.8-3.6	8	-	-	7	-	-
1990	23	2.6	1.5-4.5	13	-	-	10	-	-
1991	17	1.8	1.0-3.6	9	-	-	8	-	-
1992	22	2.3	1.3-4.0	15	2.5	1.3-6.4	7	-	-
1993	19	2.1	1.1-3.8	7	-	-	12	-	-
1994	24	2.6	1.5-4.4	11	-	-	13	-	-
1995	20	2.1	1.1-3.7	12	-	-	8	-	-
1996	26	3.0	1.8-4.9	16	4.4	2.1-9.1	10	-	-
1997	31	3.7	2.4-5.7	11	-	-	20	4.7	2.8-7.8
1998	35	3.5	2.3-5.4	13	-	-	22	4.8	2.9-7.8
1999	23	2.2	1.3-3.7	16	3.7	1.9-7.6	7	-	-
2000	33	3.0	2.0-4.6	26	4.9	3.0-8.7	7	-	-
2001	32	2.5	1.6-4.0	18	2.8	1.5-5.9	14	-	-
2002	23	1.8	1.1-3.1	14	-	-	9	-	-
2003	32	2.8	1.8-4.2	19	3.4	1.7-6.6	13	-	-
2004	36	2.9	1.9-4.3	25	4.7	2.7-8.1	11	-	-
2005	38	2.9	2.0-4.3	18	3.3	1.7-6.2	20	2.8	1.7-4.7

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

HODGKIN LYMPHOMA
Incidence

Table 1. Hodgkin Lymphoma. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	8	-	-	5	-	-	<5	-	-
1989	9	-	-	7	-	-	<5	-	-
1990	7	-	-	<5	-	-	<5	-	-
1991	6	-	-	5	-	-	<5	-	-
1992	11	-	-	7	-	-	<5	-	-
1993	8	-	-	<5	-	-	<5	-	-
1994	14	-	-	6	-	-	8	-	-
1995	7	-	-	6	-	-	<5	-	-
1996	15	1.2	0.7-2.2	7	-	-	8	-	-
1997	14	-	-	8	-	-	6	-	-
1998	14	-	-	6	-	-	8	-	-
1999	13	-	-	5	-	-	8	-	-
2000	27	2.0	1.3-3.0	16	2.4	1.4-4.4	11	-	-
2001	20	1.5	0.9-2.4	8	-	-	12	-	-
2002	25	1.6	1.1-2.5	16	2.3	1.3-4.0	9	-	-
2003	22	1.4	0.9-2.2	13	-	-	9	-	-
2004	18	1.2	0.7-2.0	6	-	-	12	-	-
2005	23	1.6	1.0-2.4	13	-	-	10	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

HODGKIN LYMPHOMA
Incidence

Table 2. Hodgkin Lymphoma. Five-Year Case Counts, Average Annual Age-Specific Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	<5	-	-	<5	-	-
05 - 09	10	-	-	<5	-	-
10 - 14	12	-	-	17	1.6	1.0-2.6
15 - 19	31	2.9	2.0-4.2	33	3.3	2.3-4.7
20 - 24	62	5.8	4.4-7.4	40	4.2	3.0-5.6
25 - 29	44	3.6	2.6-4.9	45	4.0	3.0-5.4
30 - 34	44	3.1	2.2-4.1	41	3.1	2.2-4.2
35 - 39	43	3.0	2.2-4.0	33	2.5	1.7-3.5
40 - 44	54	3.8	2.9-5.0	33	2.4	1.7-3.4
45 - 49	42	3.3	2.4-4.4	26	2.1	1.4-3.0
50 - 54	42	3.7	2.7-5.1	13	-	-
55 - 59	25	2.8	1.8-4.2	14	-	-
60 - 64	19	3.0	1.8-4.7	10	-	-
65 - 69	13	-	-	15	2.8	1.6-4.6
70 - 74	15	3.9	2.2-6.4	7	-	-
75 - 79	12	-	-	15	3.4	1.9-5.6
80 - 84	12	-	-	9	-	-
85 +	11	-	-	8	-	-
Total/Crude	491	3.0	2.7-3.3	362	2.2	2.0-2.5

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

HODGKIN LYMPHOMA
Incidence

Table 3. Hodgkin Lymphoma. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	436	3.0	2.7-3.3	318	2.2	1.9-2.4
Alameda	103	2.9	2.4-3.6	75	2.0	1.6-2.5
Contra Costa	64	2.6	2.0-3.4	52	2.1	1.5-2.7
Marin	21	3.2	2.0-5.1	12	-	-
San Francisco	65	3.1	2.4-4.1	48	2.3	1.7-3.2
San Mateo	50	2.9	2.1-3.8	32	1.9	1.3-2.8
Santa Clara	133	3.2	2.7-3.9	99	2.4	2.0-3.0
Monterey Bay Area:	55	3.0	2.3-4.0	44	2.6	1.9-3.5
Monterey	25	2.6	1.6-3.9	24	2.5	1.6-3.7
San Benito	8	-	-	<5	-	-
Santa Cruz	22	3.3	2.1-5.2	18	2.9	1.7-4.7
WHITE (non-Hispanic)						
SF Bay Area:	265	3.8	3.3-4.3	190	2.9	2.5-3.4
Alameda	53	3.7	2.7-4.9	42	3.0	2.2-4.2
Contra Costa	42	3.0	2.1-4.1	31	2.2	1.5-3.2
Marin	18	3.5	2.0-6.1	11	-	-
San Francisco	39	4.3	2.9-6.6	29	3.4	2.0-5.9
San Mateo	29	3.4	2.2-5.1	22	2.9	1.8-4.6
Santa Clara	84	4.7	3.7-5.9	55	3.3	2.5-4.4
Monterey Bay Area:	33	3.8	2.6-5.4	28	3.1	2.0-4.6
Monterey	13	-	-	12	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	16	3.7	2.1-6.3	15	3.4	1.9-6.0
BLACK (non-Hispanic)						
SF Bay Area:	29	2.8	1.8-4.1	20	1.7	1.1-2.7
Alameda	17	3.6	2.1-6.1	9	-	-
Contra Costa	<5	-	-	6	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

HODGKIN LYMPHOMA
Incidence

Table 3. Hodgkin Lymphoma. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	75	3.3	2.4-4.5	54	2.0	1.5-2.7
Alameda	13	-	-	14	-	-
Contra Costa	15	4.4	2.0-9.6	7	-	-
Marin	<5	-	-	<5	-	-
San Francisco	9	-	-	5	-	-
San Mateo	8	-	-	6	-	-
Santa Clara	28	3.5	2.1-6.0	22	2.3	1.4-3.8
Monterey Bay Area:	19	3.5	1.8-7.4	13	-	-
Monterey	9	-	-	10	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	6	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	56	1.6	1.2-2.2	51	1.4	1.0-1.8
Alameda	15	1.7	0.9-3.1	8	-	-
Contra Costa	<5	-	-	8	-	-
Marin	<5	-	-	<5	-	-
San Francisco	12	-	-	11	-	-
San Mateo	9	-	-	<5	-	-
Santa Clara	17	1.4	0.8-2.6	20	1.7	1.0-2.7
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

HODGKIN LYMPHOMA
Mortality

Table 4. Hodgkin Lymphoma. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	33	0.6	0.4-0.9	22	0.9	0.5-1.5	11	-	-
1989	35	0.6	0.4-0.9	20	0.8	0.4-1.3	15	0.5	0.3-0.9
1990	35	0.6	0.4-0.8	19	0.6	0.3-1.0	16	0.5	0.3-0.9
1991	31	0.6	0.4-0.8	19	0.8	0.5-1.3	12	-	-
1992	32	0.6	0.4-0.8	20	0.7	0.4-1.2	12	-	-
1993	27	0.4	0.3-0.6	14	-	-	13	-	-
1994	33	0.6	0.4-0.9	18	0.8	0.4-1.3	15	0.5	0.3-0.9
1995	29	0.5	0.3-0.7	22	0.8	0.5-1.3	7	-	-
1996	27	0.5	0.3-0.7	16	0.6	0.3-1.0	11	-	-
1997	32	0.5	0.4-0.8	16	0.6	0.3-1.0	16	0.5	0.3-0.8
1998	34	0.5	0.4-0.8	22	0.7	0.5-1.2	12	-	-
1999	32	0.5	0.4-0.8	20	0.8	0.5-1.3	12	-	-
2000	20	0.3	0.2-0.5	9	-	-	11	-	-
2001	23	0.4	0.2-0.5	13	-	-	10	-	-
2002	33	0.5	0.4-0.7	20	0.7	0.4-1.1	13	-	-
2003	29	0.5	0.3-0.7	17	0.6	0.4-1.0	12	-	-
2004	21	0.3	0.2-0.5	11	-	-	10	-	-
2005	25	0.4	0.3-0.6	16	0.6	0.3-1.0	9	-	-
WHITE (non-Hispanic)									
1988	25	0.7	0.4-1.0	14	-	-	11	-	-
1989	24	0.6	0.4-1.0	12	-	-	12	-	-
1990	24	0.6	0.4-1.0	13	-	-	11	-	-
1991	25	0.7	0.4-1.0	16	1.0	0.5-1.7	9	-	-
1992	23	0.7	0.4-1.0	13	-	-	10	-	-
1993	21	0.6	0.4-0.9	9	-	-	12	-	-
1994	18	0.5	0.3-0.8	9	-	-	9	-	-
1995	22	0.6	0.4-1.0	16	0.9	0.5-1.6	6	-	-
1996	20	0.6	0.4-0.9	12	-	-	8	-	-
1997	22	0.6	0.4-0.9	10	-	-	12	-	-
1998	22	0.6	0.4-0.9	13	-	-	9	-	-
1999	18	0.5	0.3-0.8	14	-	-	<5	-	-
2000	10	-	-	<5	-	-	7	-	-
2001	12	-	-	7	-	-	5	-	-
2002	18	0.5	0.3-0.8	11	-	-	7	-	-
2003	19	0.6	0.3-0.9	11	-	-	8	-	-
2004	13	-	-	8	-	-	5	-	-
2005	15	0.4	0.2-0.7	10	-	-	5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

HODGKIN LYMPHOMA
Mortality

Table 4. Hodgkin Lymphoma. Annual Death Counts, Age-Adjusted (2000 US Population Standard)
(cont) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity,
Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	<5	-	-	<5	-	-	<5	-	-
1989	7	-	-	5	-	-	<5	-	-
1990	<5	-	-	<5	-	-	<5	-	-
1991	<5	-	-	<5	-	-	<5	-	-
1992	<5	-	-	<5	-	-	<5	-	-
1993	<5	-	-	<5	-	-	<5	-	-
1994	<5	-	-	<5	-	-	<5	-	-
1995	<5	-	-	<5	-	-	<5	-	-
1996	5	-	-	<5	-	-	<5	-	-
1997	<5	-	-	<5	-	-	<5	-	-
1998	<5	-	-	<5	-	-	<5	-	-
1999	<5	-	-	<5	-	-	<5	-	-
2000	<5	-	-	<5	-	-	<5	-	-
2001	5	-	-	<5	-	-	<5	-	-
2002	<5	-	-	<5	-	-	<5	-	-
2003	<5	-	-	<5	-	-	<5	-	-
2004	<5	-	-	<5	-	-	<5	-	-
2005	<5	-	-	<5	-	-	<5	-	-
HISPANIC									
1988	<5	-	-	<5	-	-	<5	-	-
1989	<5	-	-	<5	-	-	<5	-	-
1990	6	-	-	<5	-	-	<5	-	-
1991	<5	-	-	<5	-	-	<5	-	-
1992	5	-	-	<5	-	-	<5	-	-
1993	<5	-	-	<5	-	-	<5	-	-
1994	9	-	-	5	-	-	<5	-	-
1995	<5	-	-	<5	-	-	<5	-	-
1996	<5	-	-	<5	-	-	<5	-	-
1997	7	-	-	5	-	-	<5	-	-
1998	7	-	-	7	-	-	<5	-	-
1999	11	-	-	<5	-	-	8	-	-
2000	<5	-	-	<5	-	-	<5	-	-
2001	<5	-	-	<5	-	-	<5	-	-
2002	9	-	-	6	-	-	<5	-	-
2003	5	-	-	<5	-	-	<5	-	-
2004	<5	-	-	<5	-	-	<5	-	-
2005	<5	-	-	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

HODGKIN LYMPHOMA
Mortality

Table 4. Hodgkin Lymphoma. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	<5	-	-	<5	-	-	<5	-	-
1989	<5	-	-	<5	-	-	<5	-	-
1990	<5	-	-	<5	-	-	<5	-	-
1991	<5	-	-	<5	-	-	<5	-	-
1992	<5	-	-	<5	-	-	<5	-	-
1993	<5	-	-	<5	-	-	<5	-	-
1994	<5	-	-	<5	-	-	<5	-	-
1995	<5	-	-	<5	-	-	<5	-	-
1996	<5	-	-	<5	-	-	<5	-	-
1997	<5	-	-	<5	-	-	<5	-	-
1998	<5	-	-	<5	-	-	<5	-	-
1999	<5	-	-	<5	-	-	<5	-	-
2000	<5	-	-	<5	-	-	<5	-	-
2001	<5	-	-	<5	-	-	<5	-	-
2002	<5	-	-	<5	-	-	<5	-	-
2003	<5	-	-	<5	-	-	<5	-	-
2004	<5	-	-	<5	-	-	<5	-	-
2005	5	-	-	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

Table 5. Hodgkin Lymphoma. Five-Year Death Counts, Average Annual Age-Specific Mortality Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	<5	-	-	<5	-	-
05 - 09	<5	-	-	<5	-	-
10 - 14	<5	-	-	<5	-	-
15 - 19	<5	-	-	<5	-	-
20 - 24	<5	-	-	<5	-	-
25 - 29	8	-	-	<5	-	-
30 - 34	5	-	-	<5	-	-
35 - 39	7	-	-	<5	-	-
40 - 44	<5	-	-	<5	-	-
45 - 49	8	-	-	<5	-	-
50 - 54	<5	-	-	<5	-	-
55 - 59	<5	-	-	7	-	-
60 - 64	7	-	-	<5	-	-
65 - 69	<5	-	-	<5	-	-
70 - 74	8	-	-	<5	-	-
75 - 79	6	-	-	6	-	-
80 - 84	5	-	-	<5	-	-
85 +	9	-	-	7	-	-
Total/Crude	77	0.5	0.4-0.6	54	0.3	0.3-0.4

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

HODGKIN LYMPHOMA
Mortality

Table 6. Hodgkin Lymphoma. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	64	0.5	0.4-0.6	48	0.3	0.2-0.4
Alameda	15	0.5	0.3-0.9	13	-	-
Contra Costa	10	-	-	16	0.6	0.3-1.0
Marin	5	-	-	<5	-	-
San Francisco	10	-	-	<5	-	-
San Mateo	6	-	-	<5	-	-
Santa Clara	18	0.5	0.3-0.9	10	-	-
Monterey Bay Area:	13	-	-	6	-	-
Monterey	10	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	5	-	-
WHITE (non-Hispanic)						
SF Bay Area:	36	0.5	0.3-0.7	25	0.3	0.2-0.4
Alameda	9	-	-	5	-	-
Contra Costa	5	-	-	9	-	-
Marin	5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	12	-	-	7	-	-
Monterey Bay Area:	11	-	-	5	-	-
Monterey	9	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	5	-	-
BLACK (non-Hispanic)						
SF Bay Area:	7	-	-	7	-	-
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

HODGKIN LYMPHOMA
Mortality

Table 6. Hodgkin Lymphoma. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	12	-	-	7	-	-
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	8	-	-	8	-	-
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.