

KAPOSI'S SARCOMA  
Incidence

Table 1. Kaposi's Sarcoma (All Sites). Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	717	11.7	10.8-12.6	708	22.8	21.1-24.6	9	-	-
1989	756	12.2	11.3-13.1	750	24.0	22.3-25.9	6	-	-
1990	747	11.7	10.9-12.6	741	23.1	21.4-24.9	6	-	-
1991	789	12.5	11.6-13.4	784	24.7	22.9-26.6	5	-	-
1992	657	10.2	9.4-11.0	650	20.0	18.5-21.8	7	-	-
1993	559	8.5	7.8-9.3	553	16.7	15.3-18.2	6	-	-
1994	600	9.2	8.5-10.0	588	17.9	16.4-19.5	12	-	-
1995	456	7.0	6.4-7.7	452	13.8	12.5-15.2	<5	-	-
1996	297	4.6	4.1-5.1	291	8.9	7.9-10.0	6	-	-
1997	136	2.1	1.7-2.5	130	4.0	3.3-4.8	6	-	-
1998	94	1.4	1.2-1.8	89	2.7	2.2-3.4	5	-	-
1999	89	1.3	1.1-1.6	86	2.6	2.0-3.2	<5	-	-
2000	85	1.2	1.0-1.5	79	2.3	1.8-2.9	6	-	-
2001	76	1.1	0.9-1.4	70	2.0	1.6-2.6	6	-	-
2002	66	1.0	0.8-1.3	58	1.8	1.3-2.3	8	-	-
2003	71	1.1	0.8-1.3	68	2.0	1.6-2.6	<5	-	-
2004	66	1.0	0.7-1.2	63	1.8	1.4-2.3	<5	-	-
2005	78	1.1	0.9-1.4	75	2.2	1.7-2.8	<5	-	-
WHITE (non-Hispanic)									
1988	578	14.8	13.6-16.1	573	28.9	26.6-31.5	5	-	-
1989	608	15.7	14.4-17.0	605	30.6	28.2-33.3	<5	-	-
1990	590	15.1	13.9-16.4	586	29.5	27.1-32.1	<5	-	-
1991	610	15.7	14.5-17.1	606	30.8	28.3-33.4	<5	-	-
1992	492	12.7	11.6-13.9	486	24.6	22.5-27.0	6	-	-
1993	416	10.8	9.8-11.9	412	21.0	19.0-23.2	<5	-	-
1994	424	11.2	10.1-12.3	417	21.5	19.5-23.8	7	-	-
1995	312	8.3	7.4-9.4	310	16.4	14.6-18.4	<5	-	-
1996	174	4.7	4.0-5.5	171	9.1	7.8-10.6	<5	-	-
1997	89	2.4	1.9-3.0	85	4.6	3.6-5.7	<5	-	-
1998	57	1.5	1.2-2.0	54	3.0	2.2-3.9	<5	-	-
1999	53	1.4	1.1-1.9	51	2.7	2.0-3.6	<5	-	-
2000	54	1.4	1.1-1.9	49	2.6	1.9-3.5	5	-	-
2001	43	1.2	0.8-1.6	42	2.3	1.6-3.1	<5	-	-
2002	37	1.0	0.7-1.4	33	1.9	1.3-2.7	<5	-	-
2003	42	1.2	0.9-1.6	40	2.3	1.6-3.2	<5	-	-
2004	38	1.1	0.8-1.6	36	2.1	1.4-2.9	<5	-	-
2005	37	1.1	0.7-1.5	37	2.1	1.5-3.0	<5	-	-

(Table Continues)

\*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

KAPOSI'S SARCOMA  
Incidence

Table 1. Kaposi's Sarcoma (All Sites). Annual Case Counts, Age-Adjusted (2000 US Population Standard) (cont) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	54	10.4	7.7-14.3	54	20.9	15.5-30.3	<5	-	-
1989	63	12.8	9.7-17.1	62	25.8	19.1-36.2	<5	-	-
1990	55	9.8	7.3-13.4	55	19.8	14.7-28.1	<5	-	-
1991	63	12.8	9.7-16.8	63	26.4	19.8-36.2	<5	-	-
1992	59	11.7	8.8-15.6	58	23.5	17.6-32.4	<5	-	-
1993	46	8.6	6.2-11.9	45	17.0	12.3-24.8	<5	-	-
1994	59	11.6	8.8-15.4	55	22.0	16.4-30.4	<5	-	-
1995	65	12.8	9.9-16.7	65	26.0	20.0-34.8	<5	-	-
1996	41	8.6	6.2-12.0	39	17.3	12.1-25.5	<5	-	-
1997	18	3.9	2.3-6.4	16	7.1	3.9-13.2	<5	-	-
1998	14	-	-	14	-	-	<5	-	-
1999	15	3.1	1.7-5.3	15	6.3	3.5-11.8	<5	-	-
2000	14	-	-	13	-	-	<5	-	-
2001	14	-	-	12	-	-	<5	-	-
2002	10	-	-	9	-	-	<5	-	-
2003	10	-	-	9	-	-	<5	-	-
2004	8	-	-	8	-	-	<5	-	-
2005	20	4.6	2.8-7.2	17	8.3	4.8-13.9	<5	-	-
HISPANIC									
1988	69	8.4	6.3-11.3	65	14.1	10.5-20.2	<5	-	-
1989	74	7.7	5.9-10.2	73	14.4	11.1-20.1	<5	-	-
1990	83	8.6	6.7-11.2	81	15.9	12.2-21.7	<5	-	-
1991	89	9.8	7.7-12.7	88	18.9	14.5-25.4	<5	-	-
1992	81	8.5	6.6-11.1	81	17.0	12.8-23.2	<5	-	-
1993	82	8.4	6.5-11.0	81	16.2	12.2-22.2	<5	-	-
1994	86	8.6	6.8-11.2	85	16.3	12.7-21.7	<5	-	-
1995	58	5.5	4.0-7.6	57	10.4	7.4-15.4	<5	-	-
1996	59	5.3	3.9-7.2	59	10.4	7.5-15.3	<5	-	-
1997	17	1.5	0.8-2.9	17	3.0	1.5-6.7	<5	-	-
1998	17	1.8	1.0-3.3	15	2.9	1.5-6.5	<5	-	-
1999	15	1.4	0.7-2.7	14	-	-	<5	-	-
2000	12	-	-	12	-	-	<5	-	-
2001	11	-	-	9	-	-	<5	-	-
2002	11	-	-	10	-	-	<5	-	-
2003	16	1.3	0.7-2.4	16	2.5	1.3-5.3	<5	-	-
2004	17	1.3	0.7-2.3	17	2.7	1.3-5.4	<5	-	-
2005	15	1.2	0.6-2.2	15	2.5	1.2-5.0	<5	-	-

(Table Continues)

\*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

KAPOSI'S SARCOMA  
Incidence

Table 1. Kaposi's Sarcoma (All Sites). Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	9	-	-	9	-	-	<5	-	-
1989	7	-	-	6	-	-	<5	-	-
1990	9	-	-	9	-	-	<5	-	-
1991	23	2.5	1.5-4.1	23	5.1	3.2-8.9	<5	-	-
1992	16	1.5	0.9-2.9	16	3.1	1.7-6.2	<5	-	-
1993	13	-	-	13	-	-	<5	-	-
1994	22	2.1	1.3-3.5	22	4.5	2.7-7.6	<5	-	-
1995	12	-	-	11	-	-	<5	-	-
1996	10	-	-	9	-	-	<5	-	-
1997	8	-	-	8	-	-	<5	-	-
1998	<5	-	-	<5	-	-	<5	-	-
1999	<5	-	-	<5	-	-	<5	-	-
2000	<5	-	-	<5	-	-	<5	-	-
2001	5	-	-	<5	-	-	<5	-	-
2002	<5	-	-	<5	-	-	<5	-	-
2003	<5	-	-	<5	-	-	<5	-	-
2004	<5	-	-	<5	-	-	<5	-	-
2005	<5	-	-	<5	-	-	<5	-	-

\*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

KAPOSI'S SARCOMA  
Incidence

Table 2. Kaposi's Sarcoma (All Sites). Five-Year Case Counts, Average Annual Age-Specific Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	<5	-	-	<5	-	-
05 - 09	<5	-	-	<5	-	-
10 - 14	<5	-	-	<5	-	-
15 - 19	<5	-	-	<5	-	-
20 - 24	<5	-	-	<5	-	-
25 - 29	18	1.5	0.9-2.3	<5	-	-
30 - 34	31	2.2	1.5-3.1	<5	-	-
35 - 39	73	5.1	4.0-6.4	<5	-	-
40 - 44	66	4.7	3.6-5.9	<5	-	-
45 - 49	50	3.9	2.9-5.2	5	-	-
50 - 54	27	2.4	1.6-3.5	<5	-	-
55 - 59	18	2.0	1.2-3.2	<5	-	-
60 - 64	8	-	-	<5	-	-
65 - 69	7	-	-	<5	-	-
70 - 74	12	-	-	<5	-	-
75 - 79	8	-	-	<5	-	-
80 - 84	7	-	-	<5	-	-
85 +	6	-	-	5	-	-
Total/Crude	334	2.0	1.8-2.3	23	0.1	0.1-0.2

\*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

KAPOSI'S SARCOMA  
Incidence

Table 3. Kaposi's Sarcoma (All Sites). Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	325	2.1	1.9-2.4	23	0.1	0.1-0.2
Alameda	54	1.5	1.1-2.0	7	-	-
Contra Costa	26	1.1	0.7-1.7	5	-	-
Marin	6	-	-	<5	-	-
San Francisco	184	8.0	6.9-9.4	6	-	-
San Mateo	20	1.2	0.7-1.8	<5	-	-
Santa Clara	35	0.8	0.6-1.2	<5	-	-
Monterey Bay Area:	9	-	-	<5	-	-
Monterey	6	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
WHITE (non-Hispanic)						
SF Bay Area:	183	2.3	2.0-2.7	9	-	-
Alameda	22	1.4	0.9-2.1	<5	-	-
Contra Costa	12	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	123	10.7	8.9-13.4	<5	-	-
San Mateo	11	-	-	<5	-	-
Santa Clara	12	-	-	<5	-	-
Monterey Bay Area:	5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
BLACK (non-Hispanic)						
SF Bay Area:	55	5.2	3.9-6.9	7	-	-
Alameda	19	4.1	2.5-6.8	<5	-	-
Contra Costa	6	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	23	14.9	9.4-22.9	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	6	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

\*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

KAPOSI'S SARCOMA  
Incidence

Table 3. Kaposi's Sarcoma (All Sites). Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	64	2.5	1.8-3.5	<5	-	-
Alameda	8	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	28	8.8	5.6-13.8	<5	-	-
San Mateo	7	-	-	<5	-	-
Santa Clara	15	1.8	0.8-4.1	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	11	-	-	<5	-	-
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

\*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.