

ACUTE LYMPHOCYTIC LEUKEMIA
Incidence

Table 1. Acute Lymphocytic Leukemia. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	100	1.9	1.5-2.3	56	2.1	1.6-2.9	44	1.6	1.2-2.2
1989	88	1.7	1.3-2.1	42	1.6	1.1-2.2	46	1.7	1.3-2.3
1990	91	1.7	1.3-2.0	56	2.1	1.6-2.8	35	1.3	0.9-1.8
1991	86	1.5	1.2-1.9	50	1.7	1.3-2.3	36	1.3	0.9-1.8
1992	79	1.4	1.1-1.7	54	1.8	1.4-2.5	25	0.9	0.6-1.3
1993	97	1.6	1.3-2.0	51	1.7	1.2-2.3	46	1.5	1.1-2.0
1994	84	1.4	1.1-1.7	55	1.8	1.4-2.4	29	0.9	0.6-1.4
1995	92	1.5	1.2-1.8	59	1.9	1.5-2.6	33	1.1	0.7-1.5
1996	90	1.5	1.2-1.8	57	1.9	1.4-2.5	33	1.1	0.7-1.5
1997	108	1.7	1.4-2.1	56	1.8	1.4-2.4	52	1.7	1.3-2.2
1998	106	1.7	1.4-2.1	66	2.1	1.6-2.7	40	1.3	0.9-1.8
1999	89	1.4	1.1-1.8	52	1.6	1.2-2.2	37	1.2	0.9-1.7
2000	105	1.7	1.4-2.0	50	1.6	1.2-2.1	55	1.8	1.3-2.3
2001	85	1.4	1.1-1.7	50	1.6	1.2-2.2	35	1.1	0.8-1.6
2002	102	1.6	1.3-2.0	53	1.7	1.3-2.3	49	1.6	1.2-2.1
2003	87	1.4	1.1-1.7	56	1.8	1.3-2.3	31	0.9	0.6-1.3
2004	117	1.9	1.5-2.2	72	2.4	1.8-3.0	45	1.4	1.0-1.8
2005	112	1.7	1.4-2.1	64	2.0	1.5-2.6	48	1.5	1.1-2.0
WHITE (non-Hispanic)									
1988	63	2.0	1.6-2.6	32	2.2	1.5-3.2	31	1.9	1.3-2.8
1989	50	1.6	1.2-2.2	23	1.5	1.0-2.4	27	1.7	1.1-2.6
1990	49	1.6	1.2-2.2	31	2.1	1.4-3.1	18	1.2	0.7-2.0
1991	47	1.6	1.2-2.2	30	2.0	1.3-2.9	17	1.2	0.7-2.0
1992	39	1.3	0.9-1.8	28	1.9	1.2-2.8	11	-	-
1993	59	1.9	1.4-2.5	28	1.9	1.2-2.8	31	1.9	1.3-2.7
1994	44	1.6	1.2-2.2	26	1.9	1.3-2.9	18	1.3	0.8-2.1
1995	45	1.5	1.1-2.1	30	2.1	1.4-3.0	15	1.0	0.6-1.8
1996	32	1.1	0.7-1.6	18	1.3	0.8-2.1	14	-	-
1997	57	2.0	1.5-2.6	31	2.2	1.5-3.1	26	1.8	1.2-2.8
1998	43	1.5	1.1-2.0	27	1.9	1.2-2.8	16	1.1	0.6-1.8
1999	36	1.3	0.9-1.9	16	1.2	0.7-1.9	20	1.5	0.9-2.4
2000	46	1.7	1.2-2.3	22	1.7	1.0-2.5	24	1.7	1.1-2.6
2001	33	1.1	0.8-1.6	20	1.4	0.8-2.1	13	-	-
2002	35	1.3	0.9-1.9	18	1.3	0.7-2.0	17	1.4	0.8-2.3
2003	28	1.0	0.7-1.5	15	1.1	0.6-1.9	13	-	-
2004	48	1.7	1.3-2.3	30	2.3	1.5-3.3	18	1.2	0.7-1.9
2005	44	1.6	1.2-2.2	23	1.8	1.1-2.7	21	1.5	0.9-2.4

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Incidence

Table 1. Acute Lymphocytic Leukemia. Annual Case Counts, Age-Adjusted (2000 US Population Standard) (cont) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	6	-	-	5	-	-	<5	-	-
1989	8	-	-	<5	-	-	5	-	-
1990	5	-	-	<5	-	-	<5	-	-
1991	7	-	-	<5	-	-	6	-	-
1992	6	-	-	<5	-	-	<5	-	-
1993	5	-	-	<5	-	-	<5	-	-
1994	<5	-	-	<5	-	-	<5	-	-
1995	<5	-	-	<5	-	-	<5	-	-
1996	<5	-	-	<5	-	-	<5	-	-
1997	6	-	-	<5	-	-	<5	-	-
1998	<5	-	-	<5	-	-	<5	-	-
1999	<5	-	-	<5	-	-	<5	-	-
2000	6	-	-	<5	-	-	<5	-	-
2001	<5	-	-	<5	-	-	<5	-	-
2002	<5	-	-	<5	-	-	<5	-	-
2003	5	-	-	<5	-	-	<5	-	-
2004	9	-	-	5	-	-	<5	-	-
2005	<5	-	-	<5	-	-	<5	-	-
HISPANIC									
1988	14	-	-	9	-	-	5	-	-
1989	17	1.5	0.8-3.0	9	-	-	8	-	-
1990	17	1.8	0.9-3.6	8	-	-	9	-	-
1991	23	1.9	1.1-3.4	13	-	-	10	-	-
1992	21	1.4	0.8-2.7	15	2.0	1.0-5.6	6	-	-
1993	18	1.2	0.7-2.5	13	-	-	5	-	-
1994	24	1.4	0.9-2.6	17	2.0	1.1-5.4	7	-	-
1995	32	2.2	1.4-3.7	18	2.3	1.3-5.8	14	-	-
1996	34	2.4	1.6-3.8	24	3.4	2.0-6.9	10	-	-
1997	28	2.0	1.2-3.4	13	-	-	15	2.3	1.2-4.5
1998	42	2.8	1.9-4.3	26	2.9	1.8-6.1	16	2.4	1.3-4.6
1999	34	2.0	1.4-3.3	21	2.4	1.5-5.5	13	-	-
2000	36	2.0	1.4-3.1	14	-	-	22	2.5	1.6-4.4
2001	32	2.0	1.3-3.2	18	2.2	1.2-5.1	14	-	-
2002	36	2.1	1.4-3.2	20	2.1	1.3-4.7	16	1.9	1.1-3.6
2003	29	2.2	1.4-3.5	20	2.7	1.6-5.4	9	-	-
2004	37	2.1	1.4-3.1	23	2.2	1.4-4.4	14	-	-
2005	38	2.0	1.4-3.0	21	2.0	1.2-4.0	17	2.0	1.1-3.5

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Incidence

Table 1. Acute Lymphocytic Leukemia. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	16	2.3	1.2-4.4	10	-	-	6	-	-
1989	13	-	-	7	-	-	6	-	-
1990	19	2.2	1.3-3.9	12	-	-	7	-	-
1991	9	-	-	6	-	-	<5	-	-
1992	11	-	-	7	-	-	<5	-	-
1993	14	-	-	7	-	-	7	-	-
1994	12	-	-	9	-	-	<5	-	-
1995	11	-	-	9	-	-	<5	-	-
1996	18	1.6	0.9-2.7	11	-	-	7	-	-
1997	15	1.2	0.7-2.2	9	-	-	6	-	-
1998	18	1.4	0.8-2.4	12	-	-	6	-	-
1999	14	-	-	10	-	-	<5	-	-
2000	16	1.3	0.7-2.1	9	-	-	7	-	-
2001	16	1.2	0.7-2.1	10	-	-	6	-	-
2002	28	2.1	1.4-3.2	13	-	-	15	2.3	1.3-3.8
2003	20	1.4	0.8-2.2	16	2.2	1.3-3.9	<5	-	-
2004	22	1.6	1.0-2.5	13	-	-	9	-	-
2005	26	1.8	1.2-2.6	18	2.5	1.5-4.1	8	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Incidence

Table 2. Acute Lymphocytic Leukemia. Five-Year Case Counts, Average Annual Age-Specific Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	89	7.7	6.2-9.5	69	6.3	4.9-8.0
05 - 09	52	4.8	3.6-6.3	28	2.7	1.8-3.9
10 - 14	21	1.9	1.2-2.9	9	-	-
15 - 19	21	2.0	1.2-3.0	7	-	-
20 - 24	13	-	-	7	-	-
25 - 29	9	-	-	5	-	-
30 - 34	6	-	-	8	-	-
35 - 39	11	-	-	<5	-	-
40 - 44	8	-	-	12	-	-
45 - 49	16	1.3	0.7-2.0	7	-	-
50 - 54	9	-	-	9	-	-
55 - 59	8	-	-	12	-	-
60 - 64	6	-	-	<5	-	-
65 - 69	7	-	-	<5	-	-
70 - 74	<5	-	-	6	-	-
75 - 79	6	-	-	<5	-	-
80 - 84	<5	-	-	7	-	-
85 +	5	-	-	6	-	-
Total/Crude	295	1.8	1.6-2.0	208	1.3	1.1-1.5

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Incidence

Table 3. Acute Lymphocytic Leukemia. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	251	1.8	1.6-2.0	182	1.3	1.1-1.5
Alameda	64	1.8	1.4-2.4	34	0.9	0.6-1.3
Contra Costa	38	1.6	1.1-2.2	30	1.2	0.8-1.8
Marin	9	-	-	<5	-	-
San Francisco	23	1.5	0.9-2.4	28	1.8	1.2-2.8
San Mateo	31	1.8	1.2-2.6	29	1.8	1.2-2.5
Santa Clara	86	2.1	1.6-2.6	57	1.4	1.0-1.8
Monterey Bay Area:	44	2.3	1.7-3.2	26	1.4	0.9-2.1
Monterey	27	2.4	1.5-3.6	11	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	15	2.5	1.4-4.3	13	-	-
WHITE (non-Hispanic)						
SF Bay Area:	90	1.5	1.2-1.8	68	1.1	0.9-1.4
Alameda	16	1.2	0.7-2.1	11	-	-
Contra Costa	18	1.3	0.8-2.1	16	1.3	0.7-2.2
Marin	8	-	-	<5	-	-
San Francisco	<5	-	-	8	-	-
San Mateo	17	2.1	1.2-3.5	12	-	-
Santa Clara	27	1.6	1.1-2.4	18	1.1	0.6-1.8
Monterey Bay Area:	16	2.3	1.3-3.7	14	-	-
Monterey	9	-	-	5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	6	-	-	7	-	-
BLACK (non-Hispanic)						
SF Bay Area:	10	-	-	11	-	-
Alameda	6	-	-	6	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Incidence

Table 3. Acute Lymphocytic Leukemia. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	76	2.1	1.6-2.9	60	1.9	1.4-2.6
Alameda	21	2.3	1.4-4.7	5	-	-
Contra Costa	12	-	-	9	-	-
Marin	<5	-	-	<5	-	-
San Francisco	6	-	-	9	-	-
San Mateo	7	-	-	11	-	-
Santa Clara	29	2.2	1.4-4.1	25	2.7	1.7-4.3
Monterey Bay Area:	26	2.5	1.6-5.7	10	-	-
Monterey	17	2.2	1.3-7.1	6	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	8	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	68	2.1	1.6-2.7	42	1.2	0.9-1.7
Alameda	17	2.0	1.1-3.5	12	-	-
Contra Costa	6	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	11	-	-	9	-	-
San Mateo	7	-	-	6	-	-
Santa Clara	27	2.4	1.5-3.9	13	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Mortality

Table 4. Acute Lymphocytic Leukemia. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	31	0.6	0.4-0.9	24	1.0	0.6-1.6	7	-	-
1989	29	0.6	0.4-0.8	17	0.7	0.4-1.2	12	-	-
1990	40	0.7	0.5-1.0	29	1.1	0.7-1.7	11	-	-
1991	27	0.5	0.3-0.8	21	0.9	0.5-1.4	6	-	-
1992	29	0.5	0.3-0.8	18	0.7	0.4-1.1	11	-	-
1993	23	0.4	0.3-0.6	12	-	-	11	-	-
1994	20	0.3	0.2-0.5	13	-	-	7	-	-
1995	21	0.4	0.2-0.6	11	-	-	10	-	-
1996	33	0.6	0.4-0.8	22	0.8	0.5-1.3	11	-	-
1997	25	0.4	0.3-0.6	13	-	-	12	-	-
1998	30	0.5	0.3-0.7	18	0.6	0.4-1.1	12	-	-
1999	27	0.4	0.3-0.6	15	0.5	0.3-0.8	12	-	-
2000	30	0.5	0.3-0.7	12	-	-	18	0.6	0.3-0.9
2001	28	0.4	0.3-0.6	15	0.5	0.3-0.8	13	-	-
2002	39	0.6	0.4-0.8	23	0.7	0.5-1.1	16	0.5	0.3-0.8
2003	26	0.4	0.3-0.6	16	0.6	0.3-0.9	10	-	-
2004	34	0.5	0.4-0.8	17	0.6	0.3-0.9	17	0.5	0.3-0.8
2005	32	0.5	0.3-0.7	22	0.7	0.4-1.1	10	-	-
WHITE (non-Hispanic)									
1988	18	0.6	0.3-0.9	14	-	-	<5	-	-
1989	20	0.6	0.3-0.9	12	-	-	8	-	-
1990	19	0.6	0.4-1.0	15	1.1	0.6-1.8	<5	-	-
1991	14	-	-	11	-	-	<5	-	-
1992	15	0.5	0.3-0.9	10	-	-	5	-	-
1993	15	0.5	0.3-0.8	7	-	-	8	-	-
1994	10	-	-	6	-	-	<5	-	-
1995	11	-	-	8	-	-	<5	-	-
1996	19	0.6	0.3-0.9	12	-	-	7	-	-
1997	11	-	-	5	-	-	6	-	-
1998	16	0.5	0.3-0.8	10	-	-	6	-	-
1999	9	-	-	6	-	-	<5	-	-
2000	14	-	-	<5	-	-	10	-	-
2001	8	-	-	<5	-	-	<5	-	-
2002	14	-	-	9	-	-	5	-	-
2003	9	-	-	5	-	-	<5	-	-
2004	14	-	-	9	-	-	5	-	-
2005	12	-	-	6	-	-	6	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Mortality

Table 4. Acute Lymphocytic Leukemia. Annual Death Counts, Age-Adjusted (2000 US Population Standard) (cont) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	<5	-	-	<5	-	-	<5	-	-
1989	<5	-	-	<5	-	-	<5	-	-
1990	<5	-	-	<5	-	-	<5	-	-
1991	<5	-	-	<5	-	-	<5	-	-
1992	<5	-	-	<5	-	-	<5	-	-
1993	<5	-	-	<5	-	-	<5	-	-
1994	<5	-	-	<5	-	-	<5	-	-
1995	<5	-	-	<5	-	-	<5	-	-
1996	<5	-	-	<5	-	-	<5	-	-
1997	5	-	-	<5	-	-	<5	-	-
1998	<5	-	-	<5	-	-	<5	-	-
1999	<5	-	-	<5	-	-	<5	-	-
2000	<5	-	-	<5	-	-	<5	-	-
2001	<5	-	-	<5	-	-	<5	-	-
2002	<5	-	-	<5	-	-	<5	-	-
2003	<5	-	-	<5	-	-	<5	-	-
2004	<5	-	-	<5	-	-	<5	-	-
2005	<5	-	-	<5	-	-	<5	-	-
HISPANIC									
1988	6	-	-	5	-	-	<5	-	-
1989	<5	-	-	<5	-	-	<5	-	-
1990	10	-	-	7	-	-	<5	-	-
1991	<5	-	-	<5	-	-	<5	-	-
1992	6	-	-	5	-	-	<5	-	-
1993	5	-	-	<5	-	-	<5	-	-
1994	6	-	-	5	-	-	<5	-	-
1995	8	-	-	<5	-	-	6	-	-
1996	7	-	-	5	-	-	<5	-	-
1997	9	-	-	<5	-	-	5	-	-
1998	6	-	-	<5	-	-	<5	-	-
1999	13	-	-	7	-	-	6	-	-
2000	8	-	-	<5	-	-	5	-	-
2001	10	-	-	5	-	-	5	-	-
2002	13	-	-	7	-	-	6	-	-
2003	7	-	-	6	-	-	<5	-	-
2004	12	-	-	5	-	-	7	-	-
2005	10	-	-	9	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Mortality

Table 4. Acute Lymphocytic Leukemia. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	<5	-	-	<5	-	-	<5	-	-
1989	<5	-	-	<5	-	-	<5	-	-
1990	7	-	-	5	-	-	<5	-	-
1991	6	-	-	6	-	-	<5	-	-
1992	7	-	-	<5	-	-	<5	-	-
1993	<5	-	-	<5	-	-	<5	-	-
1994	<5	-	-	<5	-	-	<5	-	-
1995	<5	-	-	<5	-	-	<5	-	-
1996	5	-	-	<5	-	-	<5	-	-
1997	<5	-	-	<5	-	-	<5	-	-
1998	6	-	-	<5	-	-	<5	-	-
1999	<5	-	-	<5	-	-	<5	-	-
2000	6	-	-	<5	-	-	<5	-	-
2001	9	-	-	5	-	-	<5	-	-
2002	10	-	-	6	-	-	<5	-	-
2003	8	-	-	<5	-	-	<5	-	-
2004	8	-	-	<5	-	-	5	-	-
2005	6	-	-	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Mortality

Table 5. Acute Lymphocytic Leukemia. Five-Year Death Counts, Average Annual Age-Specific Mortality Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	<5	-	-	<5	-	-
05 - 09	6	-	-	5	-	-
10 - 14	8	-	-	<5	-	-
15 - 19	10	-	-	<5	-	-
20 - 24	5	-	-	<5	-	-
25 - 29	<5	-	-	5	-	-
30 - 34	5	-	-	<5	-	-
35 - 39	7	-	-	<5	-	-
40 - 44	6	-	-	<5	-	-
45 - 49	9	-	-	8	-	-
50 - 54	<5	-	-	<5	-	-
55 - 59	5	-	-	<5	-	-
60 - 64	6	-	-	<5	-	-
65 - 69	<5	-	-	<5	-	-
70 - 74	6	-	-	5	-	-
75 - 79	5	-	-	<5	-	-
80 - 84	<5	-	-	<5	-	-
85 +	<5	-	-	6	-	-
Total/Crude	93	0.6	0.5-0.7	66	0.4	0.3-0.5

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Mortality

Table 6. Acute Lymphocytic Leukemia. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	82	0.6	0.5-0.8	59	0.4	0.3-0.5
Alameda	16	0.5	0.3-0.8	17	0.5	0.3-0.7
Contra Costa	11	-	-	5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	13	-	-	10	-	-
San Mateo	10	-	-	6	-	-
Santa Clara	28	0.7	0.5-1.1	20	0.5	0.3-0.8
Monterey Bay Area:	11	-	-	7	-	-
Monterey	7	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
WHITE (non-Hispanic)						
SF Bay Area:	29	0.4	0.3-0.6	20	0.3	0.1-0.4
Alameda	<5	-	-	5	-	-
Contra Costa	6	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	6	-	-	<5	-	-
Santa Clara	9	-	-	8	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
BLACK (non-Hispanic)						
SF Bay Area:	6	-	-	<5	-	-
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE LYMPHOCYTIC LEUKEMIA
Mortality

Table 6. Acute Lymphocytic Leukemia. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	25	0.9	0.5-1.5	19	0.8	0.5-1.4
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	11	-	-	9	-	-
Monterey Bay Area:	7	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	22	0.7	0.5-1.2	18	0.5	0.3-0.8
Alameda	5	-	-	9	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	7	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	6	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.