

ACUTE MYELOID LEUKEMIA
Incidence

Table 1. Acute Myeloid Leukemia. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	160	3.1	2.6-3.6	86	3.7	2.9-4.6	74	2.7	2.1-3.4
1989	188	3.7	3.2-4.3	100	4.5	3.6-5.5	88	3.1	2.5-3.9
1990	180	3.6	3.1-4.2	104	4.6	3.7-5.7	76	2.8	2.2-3.5
1991	174	3.4	2.9-3.9	88	4.0	3.1-5.0	86	3.0	2.4-3.7
1992	193	3.5	3.1-4.1	100	4.3	3.4-5.3	93	3.1	2.5-3.8
1993	176	3.3	2.8-3.8	93	4.0	3.2-5.0	83	2.8	2.2-3.5
1994	179	3.3	2.8-3.8	91	4.0	3.2-5.0	88	2.9	2.4-3.6
1995	178	3.2	2.7-3.7	101	4.0	3.3-5.0	77	2.5	2.0-3.1
1996	192	3.4	2.9-3.9	109	4.5	3.7-5.5	83	2.7	2.2-3.4
1997	190	3.3	2.8-3.8	104	4.0	3.2-4.9	86	2.7	2.2-3.4
1998	238	4.0	3.5-4.6	132	5.2	4.3-6.2	106	3.3	2.7-4.0
1999	220	3.7	3.2-4.2	117	4.4	3.6-5.3	103	3.1	2.6-3.8
2000	234	3.8	3.3-4.4	122	4.6	3.8-5.5	112	3.4	2.8-4.1
2001	235	3.9	3.4-4.4	134	5.0	4.2-6.0	101	3.0	2.5-3.7
2002	217	3.5	3.1-4.0	119	4.3	3.6-5.2	98	2.8	2.3-3.5
2003	190	3.0	2.6-3.5	95	3.4	2.8-4.2	95	2.7	2.2-3.4
2004	207	3.3	2.8-3.7	114	4.2	3.4-5.1	93	2.6	2.1-3.3
2005	190	3.0	2.6-3.4	93	3.4	2.7-4.1	97	2.7	2.2-3.3
WHITE (non-Hispanic)									
1988	115	3.3	2.7-4.0	60	3.8	2.9-5.1	55	2.8	2.1-3.7
1989	134	3.8	3.2-4.6	69	4.5	3.5-5.8	65	3.4	2.6-4.4
1990	131	3.8	3.1-4.5	83	5.4	4.3-6.9	48	2.4	1.8-3.3
1991	116	3.3	2.7-4.0	49	3.4	2.5-4.7	67	3.4	2.6-4.3
1992	135	3.7	3.1-4.4	74	4.8	3.8-6.2	61	3.0	2.3-3.9
1993	108	3.0	2.5-3.7	62	4.1	3.1-5.3	46	2.3	1.6-3.1
1994	111	3.1	2.6-3.8	57	3.8	2.9-5.0	54	2.8	2.1-3.8
1995	119	3.3	2.8-4.0	71	4.5	3.5-5.7	48	2.4	1.8-3.3
1996	122	3.4	2.8-4.0	71	4.6	3.6-5.8	51	2.6	1.9-3.5
1997	125	3.4	2.9-4.1	70	4.4	3.4-5.6	55	2.8	2.1-3.7
1998	156	4.3	3.7-5.1	85	5.5	4.4-6.9	71	3.6	2.8-4.6
1999	146	4.0	3.4-4.7	76	4.6	3.6-5.8	70	3.5	2.7-4.5
2000	145	3.9	3.3-4.6	80	4.8	3.8-6.1	65	3.2	2.4-4.1
2001	150	4.1	3.4-4.8	87	5.4	4.3-6.7	63	3.1	2.3-4.0
2002	141	3.8	3.2-4.5	84	5.2	4.1-6.5	57	2.7	2.1-3.6
2003	127	3.4	2.8-4.1	70	4.3	3.3-5.5	57	2.7	2.1-3.6
2004	128	3.5	2.9-4.2	68	4.3	3.3-5.5	60	2.9	2.2-3.8
2005	119	3.2	2.7-3.9	58	3.6	2.7-4.7	61	3.1	2.3-4.0

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Incidence

Table 1. Acute Myeloid Leukemia. Annual Case Counts, Age-Adjusted (2000 US Population Standard) (cont) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	10	-	-	7	-	-	<5	-	-
1989	12	-	-	6	-	-	6	-	-
1990	10	-	-	<5	-	-	7	-	-
1991	11	-	-	7	-	-	<5	-	-
1992	7	-	-	<5	-	-	<5	-	-
1993	21	5.8	3.5-9.1	7	-	-	14	-	-
1994	12	-	-	8	-	-	<5	-	-
1995	11	-	-	<5	-	-	7	-	-
1996	11	-	-	7	-	-	<5	-	-
1997	8	-	-	<5	-	-	<5	-	-
1998	17	4.4	2.6-7.3	8	-	-	9	-	-
1999	14	-	-	7	-	-	7	-	-
2000	20	4.9	3.0-7.7	8	-	-	12	-	-
2001	12	-	-	7	-	-	5	-	-
2002	17	4.2	2.4-6.8	7	-	-	10	-	-
2003	14	-	-	7	-	-	7	-	-
2004	8	-	-	<5	-	-	5	-	-
2005	14	-	-	5	-	-	9	-	-
HISPANIC									
1988	19	2.5	1.4-4.5	9	-	-	10	-	-
1989	17	2.6	1.4-4.8	11	-	-	6	-	-
1990	16	2.5	1.3-4.5	8	-	-	8	-	-
1991	23	3.8	2.3-6.2	14	-	-	9	-	-
1992	30	4.7	2.9-7.2	11	-	-	19	5.8	3.4-9.6
1993	17	2.2	1.2-3.9	8	-	-	9	-	-
1994	19	3.1	1.7-5.3	10	-	-	9	-	-
1995	23	2.6	1.6-4.4	11	-	-	12	-	-
1996	18	2.1	1.2-3.7	8	-	-	10	-	-
1997	29	3.1	2.0-5.0	16	2.3	1.1-5.8	13	-	-
1998	33	4.4	2.8-6.7	19	5.6	3.0-10.5	14	-	-
1999	24	2.6	1.6-4.3	14	-	-	10	-	-
2000	28	3.2	2.0-5.1	14	-	-	14	-	-
2001	35	3.7	2.4-5.6	16	3.7	1.6-7.7	19	4.1	2.4-6.7
2002	23	2.6	1.5-4.2	11	-	-	12	-	-
2003	20	1.8	1.0-3.0	8	-	-	12	-	-
2004	26	2.5	1.5-3.9	18	3.7	2.0-6.8	8	-	-
2005	20	1.7	1.0-2.8	13	-	-	7	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Incidence

Table 1. Acute Myeloid Leukemia. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	16	2.5	1.4-4.7	10	-	-	6	-	-
1989	25	3.8	2.3-6.1	14	-	-	11	-	-
1990	23	3.3	2.0-5.3	10	-	-	13	-	-
1991	23	3.1	1.9-5.0	17	5.0	2.8-9.0	6	-	-
1992	21	2.5	1.5-4.1	11	-	-	10	-	-
1993	29	3.5	2.3-5.4	16	3.8	2.0-7.2	13	-	-
1994	36	4.3	2.9-6.3	15	4.1	2.1-7.6	21	4.6	2.7-7.4
1995	25	2.8	1.8-4.3	15	3.4	1.9-6.2	10	-	-
1996	38	3.9	2.7-5.6	21	4.9	3.0-8.0	17	3.3	1.9-5.5
1997	26	2.6	1.6-3.9	13	-	-	13	-	-
1998	31	2.7	1.8-3.9	19	3.6	2.2-6.2	12	-	-
1999	36	3.4	2.3-4.8	20	4.3	2.6-7.1	16	2.7	1.5-4.6
2000	41	3.7	2.6-5.1	20	4.2	2.5-6.8	21	3.4	2.1-5.3
2001	36	3.0	2.1-4.2	23	4.6	2.9-7.3	13	-	-
2002	36	2.8	2.0-4.0	17	3.0	1.8-5.1	19	2.7	1.6-4.3
2003	29	2.2	1.4-3.2	10	-	-	19	2.6	1.6-4.1
2004	44	3.3	2.4-4.4	24	4.3	2.7-6.7	20	2.6	1.6-4.1
2005	35	2.5	1.7-3.5	16	2.5	1.4-4.2	19	2.5	1.5-3.9

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Incidence

Table 2. Acute Myeloid Leukemia. Five-Year Case Counts, Average Annual Age-Specific Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	7	-	-	11	-	-
05 - 09	7	-	-	9	-	-
10 - 14	6	-	-	5	-	-
15 - 19	15	1.4	0.8-2.3	8	-	-
20 - 24	9	-	-	10	-	-
25 - 29	7	-	-	8	-	-
30 - 34	9	-	-	15	1.1	0.6-1.9
35 - 39	13	-	-	11	-	-
40 - 44	23	1.6	1.0-2.4	21	1.6	1.0-2.4
45 - 49	38	3.0	2.1-4.1	28	2.2	1.5-3.2
50 - 54	32	2.9	2.0-4.0	20	1.7	1.1-2.7
55 - 59	37	4.2	2.9-5.7	43	4.6	3.3-6.2
60 - 64	33	5.3	3.6-7.4	35	5.2	3.6-7.2
65 - 69	61	13.0	9.9-16.6	29	5.4	3.6-7.7
70 - 74	63	16.3	12.5-20.9	48	10.1	7.5-13.4
75 - 79	76	24.2	19.1-30.3	61	13.9	10.6-17.9
80 - 84	66	30.3	23.4-38.5	65	19.2	14.8-24.4
85 +	53	33.6	25.2-44.0	57	17.0	12.9-22.0
Total/Crude	555	3.4	3.1-3.7	484	3.0	2.7-3.2

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Incidence

Table 3. Acute Myeloid Leukemia. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	503	4.1	3.7-4.5	445	2.9	2.6-3.1
Alameda	101	3.7	3.0-4.5	92	2.5	2.0-3.1
Contra Costa	71	3.2	2.5-4.1	82	3.0	2.4-3.7
Marin	24	3.8	2.4-5.8	26	3.1	2.0-4.8
San Francisco	82	4.3	3.4-5.4	65	3.0	2.3-3.9
San Mateo	61	3.8	2.9-4.9	55	2.8	2.1-3.7
Santa Clara	164	5.1	4.3-6.0	125	3.0	2.5-3.6
Monterey Bay Area:	52	3.6	2.7-4.8	39	2.3	1.6-3.1
Monterey	26	3.3	2.1-4.9	24	2.5	1.6-3.8
San Benito	<5	-	-	<5	-	-
Santa Cruz	24	4.3	2.7-6.6	13	-	-
WHITE (non-Hispanic)						
SF Bay Area:	330	4.6	4.1-5.2	276	3.0	2.7-3.4
Alameda	56	3.9	2.9-5.1	48	2.6	1.9-3.5
Contra Costa	56	3.8	2.9-5.1	57	3.0	2.2-4.0
Marin	23	4.3	2.7-7.0	25	3.2	2.0-5.3
San Francisco	39	4.7	3.2-7.0	36	3.7	2.5-5.8
San Mateo	49	4.8	3.6-6.6	39	3.4	2.3-4.9
Santa Clara	107	5.8	4.8-7.1	71	3.0	2.3-3.8
Monterey Bay Area:	37	3.9	2.7-5.5	22	1.9	1.2-3.1
Monterey	15	3.1	1.8-5.5	12	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	21	4.6	2.8-7.4	9	-	-
BLACK (non-Hispanic)						
SF Bay Area:	28	3.4	2.2-5.1	35	3.2	2.2-4.4
Alameda	13	-	-	12	-	-
Contra Costa	5	-	-	12	-	-
Marin	<5	-	-	<5	-	-
San Francisco	8	-	-	5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Incidence

Table 3. Acute Myeloid Leukemia. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	54	2.8	2.0-3.9	45	2.1	1.5-2.8
Alameda	14	-	-	9	-	-
Contra Costa	7	-	-	7	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	7	-	-
San Mateo	<5	-	-	7	-	-
Santa Clara	25	3.6	2.0-6.3	14	-	-
Monterey Bay Area:	12	-	-	13	-	-
Monterey	10	-	-	9	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	88	3.2	2.6-4.0	87	2.5	2.0-3.0
Alameda	16	2.4	1.4-4.2	22	2.6	1.6-4.0
Contra Costa	<5	-	-	6	-	-
Marin	<5	-	-	<5	-	-
San Francisco	31	4.5	3.0-6.5	17	2.3	1.3-4.0
San Mateo	8	-	-	5	-	-
Santa Clara	29	3.9	2.5-5.8	37	3.4	2.4-4.9
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Mortality

Table 4. Acute Myeloid Leukemia. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	115	2.3	1.9-2.8	61	2.8	2.1-3.7	54	2.0	1.5-2.6
1989	110	2.2	1.8-2.6	61	2.8	2.1-3.8	49	1.8	1.3-2.3
1990	119	2.3	1.9-2.8	62	2.8	2.1-3.6	57	2.0	1.5-2.6
1991	116	2.3	1.9-2.8	67	3.1	2.4-4.0	49	1.8	1.3-2.3
1992	125	2.4	2.0-2.9	70	3.3	2.6-4.3	55	1.9	1.4-2.5
1993	118	2.2	1.8-2.7	62	2.8	2.1-3.6	56	1.8	1.4-2.4
1994	106	2.0	1.6-2.4	56	2.5	1.9-3.3	50	1.6	1.2-2.2
1995	108	2.0	1.6-2.4	47	2.0	1.5-2.8	61	2.0	1.5-2.6
1996	133	2.4	2.0-2.8	77	3.2	2.5-4.1	56	1.8	1.4-2.3
1997	135	2.4	2.0-2.8	76	3.1	2.4-3.9	59	1.9	1.4-2.4
1998	168	2.9	2.5-3.4	92	3.8	3.1-4.8	76	2.4	1.9-3.0
1999	161	2.8	2.4-3.2	87	3.4	2.7-4.3	74	2.3	1.8-2.9
2000	145	2.4	2.0-2.8	74	2.9	2.3-3.7	71	2.1	1.6-2.7
2001	145	2.4	2.0-2.8	81	3.1	2.4-3.8	64	1.9	1.4-2.4
2002	156	2.5	2.2-3.0	87	3.2	2.6-4.0	69	2.0	1.5-2.5
2003	147	2.4	2.0-2.8	82	3.0	2.4-3.8	65	1.9	1.4-2.4
2004	156	2.5	2.1-2.9	86	3.2	2.5-4.0	70	1.9	1.5-2.5
2005	162	2.6	2.2-3.0	86	3.2	2.5-4.0	76	2.2	1.7-2.7
WHITE (non-Hispanic)									
1988	94	2.7	2.2-3.3	52	3.4	2.5-4.6	42	2.1	1.5-2.9
1989	78	2.2	1.8-2.8	41	2.7	1.9-3.7	37	1.9	1.4-2.7
1990	89	2.5	2.0-3.1	45	3.0	2.2-4.1	44	2.1	1.6-3.0
1991	84	2.4	1.9-3.0	46	3.1	2.2-4.2	38	1.9	1.3-2.7
1992	101	2.8	2.3-3.4	55	3.8	2.9-5.1	46	2.3	1.7-3.1
1993	78	2.2	1.7-2.7	46	3.0	2.2-4.1	32	1.5	1.0-2.2
1994	63	1.7	1.3-2.3	32	2.1	1.4-3.1	31	1.5	1.0-2.2
1995	78	2.1	1.7-2.7	35	2.3	1.6-3.3	43	2.0	1.4-2.8
1996	90	2.5	2.0-3.1	56	3.7	2.8-4.8	34	1.6	1.1-2.3
1997	93	2.5	2.0-3.1	53	3.4	2.5-4.5	40	2.0	1.4-2.7
1998	116	3.2	2.6-3.8	62	4.0	3.1-5.2	54	2.7	2.0-3.6
1999	96	2.6	2.1-3.2	48	3.0	2.2-4.0	48	2.4	1.7-3.2
2000	99	2.6	2.1-3.2	51	3.2	2.4-4.3	48	2.3	1.7-3.1
2001	103	2.7	2.2-3.4	59	3.6	2.7-4.7	44	2.0	1.5-2.8
2002	117	3.1	2.5-3.7	64	3.8	2.9-4.9	53	2.4	1.8-3.2
2003	92	2.4	2.0-3.0	55	3.4	2.5-4.5	37	1.8	1.2-2.5
2004	113	3.0	2.4-3.6	63	3.8	2.9-5.0	50	2.2	1.6-3.0
2005	116	3.1	2.6-3.8	64	4.0	3.1-5.1	52	2.5	1.8-3.4

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Mortality

Table 4. Acute Myeloid Leukemia. Annual Death Counts, Age-Adjusted (2000 US Population Standard) (cont) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	<5	-	-	<5	-	-	<5	-	-
1989	12	-	-	10	-	-	<5	-	-
1990	6	-	-	<5	-	-	<5	-	-
1991	5	-	-	<5	-	-	<5	-	-
1992	<5	-	-	<5	-	-	<5	-	-
1993	6	-	-	<5	-	-	<5	-	-
1994	7	-	-	<5	-	-	<5	-	-
1995	7	-	-	<5	-	-	5	-	-
1996	9	-	-	<5	-	-	5	-	-
1997	5	-	-	<5	-	-	<5	-	-
1998	10	-	-	5	-	-	5	-	-
1999	15	4.0	2.2-6.8	6	-	-	9	-	-
2000	10	-	-	5	-	-	5	-	-
2001	7	-	-	<5	-	-	<5	-	-
2002	14	-	-	6	-	-	8	-	-
2003	15	3.6	2.0-6.1	7	-	-	8	-	-
2004	6	-	-	<5	-	-	5	-	-
2005	7	-	-	<5	-	-	<5	-	-
HISPANIC									
1988	8	-	-	<5	-	-	<5	-	-
1989	10	-	-	<5	-	-	6	-	-
1990	10	-	-	7	-	-	<5	-	-
1991	9	-	-	<5	-	-	5	-	-
1992	11	-	-	5	-	-	6	-	-
1993	15	2.4	1.3-4.3	7	-	-	8	-	-
1994	15	2.7	1.4-4.9	10	-	-	5	-	-
1995	9	-	-	<5	-	-	5	-	-
1996	13	-	-	6	-	-	7	-	-
1997	16	2.0	1.1-3.7	8	-	-	8	-	-
1998	21	3.2	1.8-5.3	14	-	-	7	-	-
1999	21	2.7	1.5-4.5	15	4.4	2.1-8.8	6	-	-
2000	17	2.2	1.2-4.0	9	-	-	8	-	-
2001	13	-	-	6	-	-	7	-	-
2002	11	-	-	8	-	-	<5	-	-
2003	17	2.2	1.2-3.7	8	-	-	9	-	-
2004	16	1.6	0.9-2.9	11	-	-	5	-	-
2005	11	-	-	<5	-	-	8	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Mortality

Table 4. Acute Myeloid Leukemia. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	9	-	-	<5	-	-	5	-	-
1989	10	-	-	6	-	-	<5	-	-
1990	14	-	-	6	-	-	8	-	-
1991	17	2.6	1.5-4.6	14	-	-	<5	-	-
1992	10	-	-	7	-	-	<5	-	-
1993	19	2.6	1.5-4.3	6	-	-	13	-	-
1994	21	2.8	1.7-4.6	11	-	-	10	-	-
1995	14	-	-	6	-	-	8	-	-
1996	21	2.1	1.3-3.4	11	-	-	10	-	-
1997	20	2.1	1.2-3.4	12	-	-	8	-	-
1998	21	2.0	1.2-3.2	11	-	-	10	-	-
1999	28	2.8	1.8-4.2	18	3.8	2.2-6.4	10	-	-
2000	19	1.8	1.1-2.9	9	-	-	10	-	-
2001	22	1.9	1.2-3.0	13	-	-	9	-	-
2002	13	-	-	8	-	-	5	-	-
2003	23	1.8	1.1-2.7	12	-	-	11	-	-
2004	21	1.7	1.1-2.6	11	-	-	10	-	-
2005	28	2.1	1.4-3.0	16	2.6	1.5-4.4	12	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Mortality

Table 5. Acute Myeloid Leukemia. Five-Year Death Counts, Average Annual Age-Specific Mortality Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	<5	-	-	<5	-	-
05 - 09	5	-	-	<5	-	-
10 - 14	<5	-	-	<5	-	-
15 - 19	5	-	-	<5	-	-
20 - 24	6	-	-	<5	-	-
25 - 29	<5	-	-	<5	-	-
30 - 34	<5	-	-	<5	-	-
35 - 39	6	-	-	<5	-	-
40 - 44	9	-	-	10	-	-
45 - 49	21	1.6	1.0-2.5	12	-	-
50 - 54	26	2.3	1.5-3.4	16	1.4	0.8-2.3
55 - 59	34	3.8	2.6-5.3	23	2.5	1.6-3.7
60 - 64	33	5.3	3.6-7.4	24	3.6	2.3-5.3
65 - 69	40	8.5	6.1-11.6	21	3.9	2.4-6.0
70 - 74	52	13.5	10.1-17.7	45	9.5	6.9-12.7
75 - 79	67	21.4	16.6-27.1	54	12.3	9.2-16.1
80 - 84	67	30.8	23.8-39.1	56	16.5	12.5-21.4
85 +	38	24.1	17.1-33.1	59	17.6	13.4-22.7
Total/Crude	422	2.6	2.3-2.8	344	2.1	1.9-2.3

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Mortality

Table 6. Acute Myeloid Leukemia. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	395	3.3	2.9-3.6	323	2.1	1.8-2.3
Alameda	81	2.9	2.3-3.7	64	1.8	1.4-2.3
Contra Costa	69	3.2	2.5-4.1	61	2.3	1.7-2.9
Marin	19	3.1	1.9-5.0	20	2.3	1.4-4.0
San Francisco	62	3.3	2.5-4.3	49	2.2	1.6-3.1
San Mateo	52	3.3	2.4-4.3	37	1.9	1.3-2.6
Santa Clara	112	3.6	3.0-4.4	92	2.3	1.8-2.8
Monterey Bay Area:	27	2.0	1.3-2.9	21	1.2	0.7-1.8
Monterey	14	-	-	13	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	13	-	-	8	-	-
WHITE (non-Hispanic)						
SF Bay Area:	282	3.9	3.4-4.4	221	2.3	2.0-2.7
Alameda	47	3.2	2.3-4.3	40	2.1	1.5-3.0
Contra Costa	56	3.8	2.8-5.0	46	2.4	1.7-3.3
Marin	19	3.5	2.1-5.9	18	2.2	1.3-4.2
San Francisco	33	3.8	2.6-6.0	26	2.4	1.5-4.3
San Mateo	43	4.1	2.9-5.7	28	2.3	1.5-3.7
Santa Clara	84	4.5	3.6-5.6	63	2.5	1.9-3.3
Monterey Bay Area:	23	2.5	1.6-3.9	15	1.1	0.6-2.0
Monterey	11	-	-	8	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	12	-	-	7	-	-
BLACK (non-Hispanic)						
SF Bay Area:	20	2.5	1.5-4.0	29	2.6	1.7-3.7
Alameda	11	-	-	10	-	-
Contra Costa	<5	-	-	7	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	8	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

ACUTE MYELOID LEUKEMIA
Mortality

Table 6. Acute Myeloid Leukemia. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	32	2.1	1.3-3.2	27	1.4	0.9-2.1
Alameda	10	-	-	6	-	-
Contra Costa	7	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	8	-	-	7	-	-
Monterey Bay Area:	<5	-	-	5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	60	2.3	1.7-3.0	46	1.4	1.0-1.8
Alameda	12	-	-	8	-	-
Contra Costa	<5	-	-	5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	21	3.0	1.8-4.8	10	-	-
San Mateo	6	-	-	<5	-	-
Santa Clara	19	2.9	1.7-4.7	20	2.1	1.3-3.4
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.