

CHRONIC MYELOID LEUKEMIA
Incidence

Table 1. Chronic Myeloid Leukemia. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	88	1.7	1.4-2.1	49	2.2	1.6-3.1	39	1.4	1.0-1.9
1989	88	1.7	1.4-2.1	51	2.3	1.6-3.1	37	1.3	0.9-1.8
1990	81	1.6	1.3-2.1	46	2.1	1.5-3.0	35	1.3	0.9-1.8
1991	81	1.5	1.2-1.9	47	2.0	1.4-2.7	34	1.1	0.8-1.6
1992	88	1.7	1.3-2.1	54	2.4	1.8-3.2	34	1.1	0.8-1.6
1993	82	1.5	1.2-1.9	43	1.9	1.3-2.6	39	1.2	0.9-1.7
1994	103	1.9	1.5-2.3	61	2.6	2.0-3.4	42	1.4	1.0-1.9
1995	114	2.0	1.7-2.5	66	2.6	2.0-3.4	48	1.6	1.2-2.1
1996	116	2.1	1.7-2.5	65	2.8	2.1-3.6	51	1.6	1.2-2.1
1997	99	1.7	1.4-2.1	63	2.5	1.9-3.3	36	1.1	0.8-1.6
1998	88	1.5	1.2-1.9	40	1.6	1.1-2.2	48	1.5	1.1-1.9
1999	79	1.3	1.0-1.6	46	1.7	1.2-2.3	33	1.0	0.7-1.4
2000	92	1.5	1.2-1.8	50	1.8	1.3-2.4	42	1.2	0.9-1.7
2001	98	1.6	1.3-1.9	63	2.4	1.8-3.1	35	1.0	0.7-1.4
2002	79	1.2	1.0-1.6	47	1.7	1.2-2.2	32	0.9	0.6-1.3
2003	77	1.2	1.0-1.5	47	1.7	1.2-2.2	30	0.9	0.6-1.3
2004	91	1.4	1.2-1.8	54	2.0	1.5-2.6	37	1.1	0.7-1.5
2005	76	1.2	0.9-1.5	41	1.4	1.0-2.0	35	1.0	0.7-1.4
WHITE (non-Hispanic)									
1988	60	1.7	1.3-2.2	35	2.2	1.5-3.2	25	1.3	0.8-2.0
1989	64	1.8	1.4-2.3	34	2.2	1.5-3.2	30	1.5	1.0-2.2
1990	48	1.4	1.0-1.9	30	2.1	1.4-3.1	18	0.9	0.5-1.5
1991	59	1.6	1.3-2.1	33	2.1	1.4-3.1	26	1.2	0.8-1.9
1992	60	1.7	1.3-2.2	40	2.7	1.9-3.7	20	0.9	0.6-1.5
1993	58	1.6	1.2-2.2	30	2.0	1.3-2.9	28	1.5	1.0-2.2
1994	71	1.9	1.5-2.5	40	2.5	1.8-3.5	31	1.5	1.0-2.2
1995	82	2.2	1.8-2.8	45	2.8	2.0-3.8	37	1.8	1.2-2.6
1996	81	2.2	1.7-2.8	44	2.9	2.1-3.9	37	1.8	1.3-2.6
1997	73	2.0	1.5-2.5	41	2.6	1.9-3.6	32	1.5	1.0-2.2
1998	59	1.6	1.2-2.1	21	1.3	0.8-2.1	38	1.8	1.3-2.6
1999	48	1.3	0.9-1.7	29	1.8	1.2-2.6	19	0.9	0.6-1.5
2000	59	1.6	1.2-2.0	31	1.8	1.2-2.6	28	1.3	0.8-1.9
2001	54	1.4	1.1-1.9	38	2.4	1.7-3.3	16	0.8	0.4-1.3
2002	54	1.4	1.1-1.9	30	1.8	1.2-2.6	24	1.2	0.7-1.8
2003	45	1.2	0.9-1.7	27	1.6	1.1-2.4	18	0.9	0.5-1.5
2004	49	1.3	1.0-1.8	30	1.9	1.3-2.7	19	0.9	0.5-1.5
2005	47	1.3	0.9-1.7	26	1.6	1.0-2.4	21	1.0	0.6-1.6

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Incidence

Table 1. Chronic Myeloid Leukemia. Annual Case Counts, Age-Adjusted (2000 US Population Standard) (cont) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	<5	-	-	<5	-	-	<5	-	-
1989	<5	-	-	<5	-	-	<5	-	-
1990	11	-	-	5	-	-	6	-	-
1991	<5	-	-	<5	-	-	<5	-	-
1992	6	-	-	5	-	-	<5	-	-
1993	6	-	-	<5	-	-	<5	-	-
1994	8	-	-	6	-	-	<5	-	-
1995	<5	-	-	<5	-	-	<5	-	-
1996	6	-	-	<5	-	-	<5	-	-
1997	<5	-	-	<5	-	-	<5	-	-
1998	<5	-	-	<5	-	-	<5	-	-
1999	8	-	-	<5	-	-	5	-	-
2000	<5	-	-	<5	-	-	<5	-	-
2001	11	-	-	7	-	-	<5	-	-
2002	<5	-	-	<5	-	-	<5	-	-
2003	5	-	-	<5	-	-	<5	-	-
2004	5	-	-	<5	-	-	<5	-	-
2005	5	-	-	<5	-	-	<5	-	-
HISPANIC									
1988	9	-	-	<5	-	-	8	-	-
1989	11	-	-	8	-	-	<5	-	-
1990	15	2.6	1.3-4.8	8	-	-	7	-	-
1991	9	-	-	5	-	-	<5	-	-
1992	11	-	-	<5	-	-	8	-	-
1993	11	-	-	<5	-	-	8	-	-
1994	13	-	-	8	-	-	5	-	-
1995	14	-	-	10	-	-	<5	-	-
1996	13	-	-	10	-	-	<5	-	-
1997	8	-	-	6	-	-	<5	-	-
1998	12	-	-	7	-	-	5	-	-
1999	7	-	-	<5	-	-	<5	-	-
2000	10	-	-	6	-	-	<5	-	-
2001	16	2.0	1.0-3.6	6	-	-	10	-	-
2002	9	-	-	7	-	-	<5	-	-
2003	8	-	-	<5	-	-	<5	-	-
2004	17	1.7	0.9-3.0	8	-	-	9	-	-
2005	11	-	-	5	-	-	6	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Incidence

Table 1. Chronic Myeloid Leukemia. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	14	-	-	9	-	-	5	-	-
1989	10	-	-	7	-	-	<5	-	-
1990	7	-	-	<5	-	-	<5	-	-
1991	10	-	-	6	-	-	<5	-	-
1992	11	-	-	6	-	-	5	-	-
1993	6	-	-	6	-	-	<5	-	-
1994	11	-	-	7	-	-	<5	-	-
1995	14	-	-	9	-	-	5	-	-
1996	16	1.7	1.0-3.0	8	-	-	8	-	-
1997	14	-	-	12	-	-	<5	-	-
1998	9	-	-	7	-	-	<5	-	-
1999	14	-	-	9	-	-	5	-	-
2000	21	1.6	1.0-2.6	13	-	-	8	-	-
2001	13	-	-	9	-	-	<5	-	-
2002	12	-	-	7	-	-	5	-	-
2003	15	1.1	0.6-1.9	11	-	-	<5	-	-
2004	15	1.1	0.6-1.9	9	-	-	6	-	-
2005	12	-	-	5	-	-	7	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Incidence

Table 2. Chronic Myeloid Leukemia. Five-Year Case Counts, Average Annual Age-Specific Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	5	-	-	<5	-	-
05 - 09	<5	-	-	<5	-	-
10 - 14	<5	-	-	<5	-	-
15 - 19	<5	-	-	<5	-	-
20 - 24	<5	-	-	5	-	-
25 - 29	10	-	-	5	-	-
30 - 34	12	-	-	9	-	-
35 - 39	12	-	-	<5	-	-
40 - 44	9	-	-	8	-	-
45 - 49	11	-	-	7	-	-
50 - 54	15	1.3	0.8-2.2	10	-	-
55 - 59	18	2.0	1.2-3.2	<5	-	-
60 - 64	19	3.0	1.8-4.7	9	-	-
65 - 69	18	3.8	2.3-6.0	20	3.7	2.3-5.7
70 - 74	21	5.4	3.4-8.3	15	3.2	1.8-5.2
75 - 79	33	10.5	7.3-14.8	22	5.0	3.1-7.6
80 - 84	37	17.0	12.0-23.4	37	10.9	7.7-15.0
85 +	27	17.1	11.3-24.9	16	4.8	2.7-7.7
Total/Crude	252	1.5	1.4-1.7	169	1.0	0.9-1.2

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Incidence

Table 3. Chronic Myeloid Leukemia. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	230	1.8	1.6-2.1	158	1.0	0.9-1.2
Alameda	38	1.3	0.9-1.8	33	0.9	0.6-1.2
Contra Costa	48	2.3	1.7-3.1	23	0.8	0.5-1.3
Marin	13	-	-	10	-	-
San Francisco	33	1.8	1.2-2.6	31	1.4	1.0-2.2
San Mateo	27	1.7	1.1-2.5	16	0.8	0.4-1.3
Santa Clara	71	2.1	1.6-2.7	45	1.1	0.8-1.5
Monterey Bay Area:	22	1.6	1.0-2.5	11	-	-
Monterey	13	-	-	9	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	6	-	-	<5	-	-
WHITE (non-Hispanic)						
SF Bay Area:	136	1.9	1.6-2.2	93	1.0	0.8-1.3
Alameda	19	1.3	0.8-2.1	21	1.1	0.7-1.7
Contra Costa	34	2.3	1.6-3.3	18	0.9	0.5-1.6
Marin	10	-	-	9	-	-
San Francisco	15	1.7	0.9-3.5	11	-	-
San Mateo	18	1.7	1.0-2.9	11	-	-
Santa Clara	40	2.3	1.6-3.1	23	1.0	0.6-1.6
Monterey Bay Area:	15	1.7	1.0-2.9	5	-	-
Monterey	9	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
BLACK (non-Hispanic)						
SF Bay Area:	17	2.2	1.2-3.7	10	-	-
Alameda	7	-	-	<5	-	-
Contra Costa	6	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Incidence

Table 3. Chronic Myeloid Leukemia. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	25	1.4	0.8-2.3	27	1.3	0.9-2.0
Alameda	<5	-	-	6	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	5	-	-	6	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	12	-	-	10	-	-
Monterey Bay Area:	5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	40	1.4	1.0-2.0	25	0.7	0.5-1.1
Alameda	5	-	-	<5	-	-
Contra Costa	5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	9	-	-	8	-	-
San Mateo	5	-	-	<5	-	-
Santa Clara	16	1.4	0.8-2.7	12	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Mortality

Table 4. Chronic Myeloid Leukemia. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	48	0.9	0.7-1.3	29	1.2	0.8-1.8	19	0.7	0.4-1.1
1989	44	0.9	0.6-1.2	28	1.3	0.8-2.0	16	0.6	0.3-0.9
1990	38	0.7	0.5-1.0	24	1.1	0.7-1.7	14	-	-
1991	43	0.8	0.6-1.1	23	1.0	0.6-1.6	20	0.7	0.4-1.1
1992	49	1.0	0.7-1.3	31	1.5	1.0-2.2	18	0.6	0.4-1.0
1993	43	0.8	0.6-1.1	20	0.9	0.5-1.5	23	0.8	0.5-1.2
1994	44	0.8	0.6-1.1	26	1.1	0.7-1.6	18	0.6	0.4-1.0
1995	56	1.0	0.8-1.3	33	1.4	1.0-2.1	23	0.7	0.5-1.1
1996	51	0.9	0.7-1.2	27	1.1	0.7-1.7	24	0.8	0.5-1.2
1997	47	0.8	0.6-1.1	29	1.2	0.8-1.8	18	0.6	0.3-0.9
1998	46	0.8	0.6-1.1	25	1.0	0.6-1.5	21	0.7	0.4-1.0
1999	41	0.7	0.5-0.9	22	0.9	0.6-1.4	19	0.6	0.3-0.9
2000	27	0.4	0.3-0.6	21	0.8	0.5-1.2	6	-	-
2001	25	0.4	0.3-0.6	17	0.7	0.4-1.1	8	-	-
2002	22	0.4	0.2-0.6	12	-	-	10	-	-
2003	12	-	-	7	-	-	5	-	-
2004	20	0.3	0.2-0.5	12	-	-	8	-	-
2005	20	0.3	0.2-0.5	8	-	-	12	-	-
WHITE (non-Hispanic)									
1988	28	0.8	0.5-1.2	17	1.0	0.6-1.8	11	-	-
1989	32	0.9	0.6-1.3	19	1.2	0.7-2.0	13	-	-
1990	25	0.7	0.5-1.1	17	1.1	0.7-1.9	8	-	-
1991	29	0.8	0.5-1.2	17	1.1	0.6-1.8	12	-	-
1992	36	1.0	0.7-1.5	24	1.7	1.1-2.6	12	-	-
1993	29	0.8	0.5-1.2	13	-	-	16	0.8	0.4-1.3
1994	31	0.9	0.6-1.3	16	1.0	0.6-1.7	15	0.8	0.4-1.4
1995	41	1.1	0.8-1.6	25	1.6	1.0-2.4	16	0.8	0.5-1.4
1996	33	0.9	0.6-1.3	17	1.1	0.6-1.8	16	0.8	0.4-1.3
1997	35	0.9	0.7-1.3	19	1.2	0.7-2.0	16	0.8	0.4-1.3
1998	30	0.8	0.5-1.2	14	-	-	16	0.8	0.4-1.3
1999	28	0.7	0.5-1.1	15	1.0	0.6-1.7	13	-	-
2000	15	0.4	0.2-0.7	10	-	-	5	-	-
2001	13	-	-	10	-	-	<5	-	-
2002	11	-	-	6	-	-	5	-	-
2003	6	-	-	<5	-	-	<5	-	-
2004	12	-	-	8	-	-	<5	-	-
2005	16	0.4	0.2-0.7	6	-	-	10	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Mortality

Table 4. Chronic Myeloid Leukemia. Annual Death Counts, Age-Adjusted (2000 US Population Standard) (cont) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	<5	-	-	<5	-	-	<5	-	-
1989	<5	-	-	<5	-	-	<5	-	-
1990	7	-	-	<5	-	-	<5	-	-
1991	<5	-	-	<5	-	-	<5	-	-
1992	<5	-	-	<5	-	-	<5	-	-
1993	<5	-	-	<5	-	-	<5	-	-
1994	<5	-	-	<5	-	-	<5	-	-
1995	<5	-	-	<5	-	-	<5	-	-
1996	<5	-	-	<5	-	-	<5	-	-
1997	<5	-	-	<5	-	-	<5	-	-
1998	6	-	-	<5	-	-	<5	-	-
1999	<5	-	-	<5	-	-	<5	-	-
2000	<5	-	-	<5	-	-	<5	-	-
2001	<5	-	-	<5	-	-	<5	-	-
2002	<5	-	-	<5	-	-	<5	-	-
2003	<5	-	-	<5	-	-	<5	-	-
2004	<5	-	-	<5	-	-	<5	-	-
2005	<5	-	-	<5	-	-	<5	-	-
HISPANIC									
1988	10	-	-	5	-	-	5	-	-
1989	<5	-	-	<5	-	-	<5	-	-
1990	<5	-	-	<5	-	-	<5	-	-
1991	<5	-	-	<5	-	-	<5	-	-
1992	5	-	-	<5	-	-	<5	-	-
1993	6	-	-	<5	-	-	<5	-	-
1994	5	-	-	<5	-	-	<5	-	-
1995	5	-	-	<5	-	-	<5	-	-
1996	9	-	-	<5	-	-	5	-	-
1997	5	-	-	<5	-	-	<5	-	-
1998	<5	-	-	<5	-	-	<5	-	-
1999	5	-	-	<5	-	-	<5	-	-
2000	<5	-	-	<5	-	-	<5	-	-
2001	6	-	-	<5	-	-	<5	-	-
2002	5	-	-	<5	-	-	<5	-	-
2003	<5	-	-	<5	-	-	<5	-	-
2004	<5	-	-	<5	-	-	<5	-	-
2005	<5	-	-	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Mortality

Table 4. Chronic Myeloid Leukemia. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	6	-	-	<5	-	-	<5	-	-
1989	5	-	-	<5	-	-	<5	-	-
1990	<5	-	-	<5	-	-	<5	-	-
1991	6	-	-	<5	-	-	<5	-	-
1992	<5	-	-	<5	-	-	<5	-	-
1993	5	-	-	<5	-	-	<5	-	-
1994	5	-	-	<5	-	-	<5	-	-
1995	5	-	-	<5	-	-	<5	-	-
1996	5	-	-	<5	-	-	<5	-	-
1997	5	-	-	<5	-	-	<5	-	-
1998	6	-	-	<5	-	-	<5	-	-
1999	7	-	-	<5	-	-	<5	-	-
2000	7	-	-	6	-	-	<5	-	-
2001	5	-	-	5	-	-	<5	-	-
2002	5	-	-	<5	-	-	<5	-	-
2003	<5	-	-	<5	-	-	<5	-	-
2004	<5	-	-	<5	-	-	<5	-	-
2005	<5	-	-	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Mortality

Table 5. Chronic Myeloid Leukemia. Five-Year Death Counts, Average Annual Age-Specific Mortality Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	<5	-	-	<5	-	-
05 - 09	<5	-	-	<5	-	-
10 - 14	<5	-	-	<5	-	-
15 - 19	<5	-	-	<5	-	-
20 - 24	<5	-	-	<5	-	-
25 - 29	<5	-	-	<5	-	-
30 - 34	<5	-	-	<5	-	-
35 - 39	<5	-	-	<5	-	-
40 - 44	<5	-	-	<5	-	-
45 - 49	<5	-	-	<5	-	-
50 - 54	<5	-	-	<5	-	-
55 - 59	<5	-	-	<5	-	-
60 - 64	<5	-	-	<5	-	-
65 - 69	6	-	-	<5	-	-
70 - 74	<5	-	-	6	-	-
75 - 79	10	-	-	8	-	-
80 - 84	7	-	-	6	-	-
85 +	6	-	-	6	-	-
Total/Crude	56	0.3	0.3-0.4	43	0.3	0.2-0.4

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Mortality

Table 6. Chronic Myeloid Leukemia. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	51	0.4	0.3-0.6	37	0.2	0.2-0.3
Alameda	10	-	-	9	-	-
Contra Costa	10	-	-	6	-	-
Marin	<5	-	-	<5	-	-
San Francisco	8	-	-	8	-	-
San Mateo	9	-	-	6	-	-
Santa Clara	11	-	-	7	-	-
Monterey Bay Area:	5	-	-	6	-	-
Monterey	<5	-	-	5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
WHITE (non-Hispanic)						
SF Bay Area:	29	0.4	0.3-0.6	21	0.2	0.1-0.4
Alameda	<5	-	-	7	-	-
Contra Costa	6	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	7	-	-	<5	-	-
San Mateo	5	-	-	5	-	-
Santa Clara	5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
BLACK (non-Hispanic)						
SF Bay Area:	<5	-	-	5	-	-
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

CHRONIC MYELOID LEUKEMIA
Mortality

Table 6. Chronic Myeloid Leukemia. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	8	-	-	8	-	-
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	13	-	-	<5	-	-
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.