

OVARIAN CANCER
Incidence

Table 1. Ovarian Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity, Greater Bay Area, 1988-2005

Year	FEMALES		
	Count	Rate	95% CI
	ALL RACES		
1988	430	15.6	14.2-17.2
1989	438	15.8	14.3-17.4
1990	466	16.7	15.2-18.3
1991	445	15.7	14.2-17.2
1992	450	15.5	14.1-17.0
1993	472	16.1	14.7-17.6
1994	458	15.5	14.1-17.0
1995	432	14.3	13.0-15.8
1996	410	13.4	12.1-14.8
1997	461	14.7	13.4-16.2
1998	450	14.1	12.9-15.5
1999	480	14.8	13.5-16.2
2000	444	13.3	12.1-14.6
2001	433	12.8	11.6-14.1
2002	480	14.1	12.9-15.5
2003	453	13.0	11.8-14.3
2004	427	12.1	11.0-13.3
2005	469	13.1	12.0-14.4
	WHITE (non-Hispanic)		
1988	335	17.2	15.4-19.2
1989	334	17.3	15.4-19.3
1990	358	18.6	16.7-20.7
1991	334	17.4	15.5-19.4
1992	336	17.1	15.3-19.1
1993	340	17.6	15.8-19.7
1994	325	16.3	14.6-18.3
1995	303	15.6	13.9-17.6
1996	298	15.2	13.5-17.1
1997	317	16.1	14.3-18.0
1998	296	14.7	13.1-16.6
1999	336	16.7	14.9-18.6
2000	307	15.3	13.6-17.2
2001	295	14.6	13.0-16.5
2002	310	15.4	13.7-17.3
2003	284	13.8	12.2-15.6
2004	256	12.5	11.0-14.3
2005	279	13.8	12.2-15.6

(Table Continues)

OVARIAN CANCER
Incidence

Table 1. Ovarian Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard)
(cont) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity,
Greater Bay Area, 1988-2005

FEMALES			
Year	Count	Rate	95% CI
BLACK (non-Hispanic)			
1988	32	15.9	10.7-23.0
1989	22	11.4	7.0-17.7
1990	24	11.7	7.4-17.9
1991	33	16.7	11.4-23.8
1992	26	12.4	8.1-18.5
1993	26	11.6	7.5-17.3
1994	29	14.1	9.4-20.4
1995	31	14.2	9.7-20.4
1996	18	8.5	5.0-13.5
1997	20	9.4	5.8-14.6
1998	25	11.3	7.3-16.8
1999	31	13.7	9.3-19.5
2000	24	10.4	6.7-15.6
2001	22	9.3	5.8-14.3
2002	19	8.3	5.0-13.0
2003	23	9.9	6.2-15.0
2004	20	8.6	5.2-13.5
2005	29	12.1	8.1-17.5
HISPANIC			
1988	31	10.5	7.1-15.5
1989	40	13.7	9.6-19.1
1990	41	14.3	10.1-19.8
1991	33	10.4	7.1-15.1
1992	38	11.8	8.2-16.7
1993	55	17.1	12.8-22.7
1994	46	14.7	10.7-19.9
1995	42	12.0	8.5-16.7
1996	52	15.2	11.2-20.3
1997	54	13.6	10.1-18.3
1998	58	15.6	11.6-20.6
1999	44	10.9	7.8-15.1
2000	39	9.1	6.4-12.8
2001	55	13.1	9.8-17.4
2002	57	13.0	9.7-17.1
2003	55	12.8	9.6-16.9
2004	58	12.4	9.3-16.2
2005	60	12.0	9.1-15.7

(Table Continues)

OVARIAN CANCER
Incidence

Table 1. Ovarian Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity, Greater Bay Area, 1988-2005

Year	FEMALES		
	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)			
1988	31	9.2	6.1-13.8
1989	41	11.2	7.9-15.9
1990	39	10.8	7.5-15.5
1991	42	11.1	7.8-15.6
1992	48	11.2	8.2-15.3
1993	46	10.3	7.5-14.2
1994	54	11.6	8.7-15.6
1995	54	10.1	7.5-13.5
1996	41	7.8	5.6-10.9
1997	68	12.1	9.3-15.6
1998	68	11.0	8.5-14.1
1999	66	10.4	8.0-13.4
2000	66	9.9	7.6-12.7
2001	60	8.4	6.4-10.9
2002	93	12.8	10.3-15.7
2003	82	10.8	8.6-13.4
2004	89	11.4	9.2-14.1
2005	97	12.1	9.8-14.8

OVARIAN CANCER
Incidence

Table 2. Ovarian Cancer. Five-Year Case Counts, Average Annual Age-Specific Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	FEMALES		
	Count	Rate	95% CI
00 - 04	<5	-	-
05 - 09	<5	-	-
10 - 14	9	-	-
15 - 19	17	1.7	1.0-2.7
20 - 24	28	2.9	1.9-4.2
25 - 29	20	1.8	1.1-2.8
30 - 34	43	3.3	2.4-4.4
35 - 39	63	4.7	3.6-6.0
40 - 44	111	8.2	6.8-9.9
45 - 49	231	18.3	16.0-20.8
50 - 54	271	23.5	20.8-26.5
55 - 59	280	29.9	26.5-33.6
60 - 64	238	35.2	30.8-39.9
65 - 69	217	40.4	35.2-46.1
70 - 74	205	43.3	37.6-49.6
75 - 79	207	47.2	41.0-54.0
80 - 84	179	52.8	45.3-61.1
85 +	141	42.0	35.4-49.6
Total/Crude	2,262	13.8	13.2-14.4

OVARIAN CANCER
Incidence

Table 3. Ovarian Cancer. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI), by County and Race/Ethnicity, Greater Bay Area, 2001-2005

County	FEMALES		
	Count	Rate	95% CI
ALL RACES			
SF Bay Area:	2,047	13.1	12.5-13.7
Alameda	477	12.7	11.6-13.9
Contra Costa	390	14.4	13.0-16.0
Marin	117	13.8	11.4-16.8
San Francisco	270	12.5	11.0-14.2
San Mateo	276	13.7	12.1-15.5
Santa Clara	517	12.5	11.4-13.6
Monterey Bay Area:	215	12.5	10.8-14.3
Monterey	114	12.1	10.0-14.5
San Benito	17	14.3	8.3-23.4
Santa Cruz	84	12.6	10.0-15.7
WHITE (non-Hispanic)			
SF Bay Area:	1,271	14.2	13.4-15.0
Alameda	258	13.6	12.0-15.5
Contra Costa	280	15.1	13.4-17.1
Marin	104	13.6	11.1-17.0
San Francisco	132	14.7	12.2-18.1
San Mateo	177	14.5	12.3-17.1
Santa Clara	320	13.9	12.4-15.6
Monterey Bay Area:	153	12.9	10.9-15.3
Monterey	75	13.0	10.1-16.6
San Benito	11	-	-
Santa Cruz	67	12.7	9.8-16.6
BLACK (non-Hispanic)			
SF Bay Area:	111	9.7	8.0-11.7
Alameda	55	9.7	7.3-12.7
Contra Costa	20	8.5	5.1-13.4
Marin	<5	-	-
San Francisco	24	13.6	8.6-20.9
San Mateo	<5	-	-
Santa Clara	8	-	-
Monterey Bay Area:	<5	-	-
Monterey	<5	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-

(Table Continues)

OVARIAN CANCER
Incidence

Table 3. Ovarian Cancer. Five-Year Case Counts, Average Annual Age-Adjusted, (2000 US Population Standard) Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI), by County and Race/Ethnicity, Greater Bay Area, 2001-2005

FEMALES			
County	Count	Rate	95% CI
HISPANIC			
SF Bay Area:	241	12.7	11.1-14.5
Alameda	54	13.0	9.6-17.2
Contra Costa	44	15.1	10.8-20.6
Marin	5	-	-
San Francisco	27	11.3	7.4-16.6
San Mateo	30	11.7	7.8-17.1
Santa Clara	81	12.3	9.6-15.5
Monterey Bay Area:	44	12.3	8.7-17.2
Monterey	26	11.2	7.1-17.5
San Benito	5	-	-
Santa Cruz	13	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)			
SF Bay Area:	406	11.1	10.0-12.2
Alameda	99	11.4	9.2-13.9
Contra Costa	44	12.7	9.2-17.4
Marin	7	-	-
San Francisco	85	10.6	8.4-13.3
San Mateo	64	13.6	10.4-17.6
Santa Clara	107	9.3	7.6-11.4
Monterey Bay Area:	15	12.2	6.8-21.1
Monterey	11	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-

OVARIAN CANCER
Mortality

Table 4. Ovarian Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity, Greater Bay Area, 1988-2005

Year	FEMALES		
	Count	Rate	95% CI
	ALL RACES		
1988	275	10.0	8.8-11.2
1989	259	9.3	8.2-10.5
1990	289	10.4	9.2-11.6
1991	232	8.2	7.1-9.3
1992	296	10.2	9.1-11.5
1993	266	9.1	8.0-10.3
1994	297	10.0	8.9-11.2
1995	250	8.3	7.3-9.4
1996	238	7.7	6.8-8.8
1997	282	9.0	7.9-10.1
1998	264	8.3	7.3-9.3
1999	287	8.7	7.7-9.8
2000	290	8.7	7.7-9.8
2001	280	8.3	7.4-9.4
2002	285	8.3	7.4-9.4
2003	299	8.6	7.7-9.7
2004	294	8.4	7.4-9.4
2005	291	8.0	7.1-9.0
	WHITE (non-Hispanic)		
1988	221	11.2	9.7-12.9
1989	215	10.8	9.4-12.4
1990	240	12.2	10.7-13.9
1991	178	8.9	7.6-10.3
1992	241	11.9	10.4-13.6
1993	213	10.5	9.1-12.1
1994	224	11.0	9.6-12.7
1995	207	10.2	8.8-11.8
1996	184	8.9	7.6-10.4
1997	208	10.2	8.8-11.8
1998	193	9.3	8.1-10.8
1999	209	9.8	8.5-11.3
2000	220	10.4	9.1-12.0
2001	213	10.2	8.8-11.7
2002	206	9.8	8.5-11.3
2003	210	10.0	8.7-11.5
2004	214	10.3	8.9-11.8
2005	193	8.9	7.7-10.4

(Table Continues)

Table 4. Ovarian Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard)
(cont) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity,
Greater Bay Area, 1988-2005

FEMALES			
Year	Count	Rate	95% CI
BLACK (non-Hispanic)			
1988	19	9.5	5.6-15.5
1989	14	-	-
1990	9	-	-
1991	22	11.2	7.0-17.3
1992	18	9.0	5.3-14.5
1993	11	-	-
1994	17	8.4	4.9-13.5
1995	10	-	-
1996	12	-	-
1997	22	10.2	6.4-15.5
1998	19	9.0	5.4-14.1
1999	14	-	-
2000	14	-	-
2001	11	-	-
2002	19	8.3	5.0-13.2
2003	9	-	-
2004	17	7.8	4.6-12.7
2005	22	9.6	6.0-14.7
HISPANIC			
1988	15	6.5	3.6-11.1
1989	16	5.8	3.2-9.9
1990	22	7.6	4.7-11.9
1991	15	6.1	3.4-10.3
1992	20	7.6	4.6-12.1
1993	26	8.7	5.6-13.0
1994	26	8.6	5.6-13.0
1995	20	6.9	4.1-10.9
1996	25	7.9	5.1-12.0
1997	28	8.3	5.5-12.3
1998	28	7.9	5.2-11.8
1999	29	8.9	5.9-13.0
2000	26	7.6	4.9-11.4
2001	27	6.8	4.4-10.1
2002	26	6.7	4.3-9.9
2003	32	7.8	5.3-11.2
2004	31	7.5	5.0-10.7
2005	30	6.5	4.3-9.4

(Table Continues)

OVARIAN CANCER
Mortality

Table 4. Ovarian Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity, Greater Bay Area, 1988-2005

Year	FEMALES		
	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)			
1988	19	5.5	3.2-9.5
1989	14	-	-
1990	17	5.0	2.8-8.7
1991	16	4.1	2.3-7.2
1992	17	4.2	2.4-7.1
1993	16	3.9	2.2-6.7
1994	29	6.7	4.4-9.9
1995	13	-	-
1996	17	3.4	2.0-5.8
1997	23	4.9	3.1-7.6
1998	24	4.3	2.7-6.6
1999	35	5.7	3.9-8.1
2000	30	4.7	3.2-6.9
2001	29	4.4	2.9-6.4
2002	33	4.7	3.2-6.6
2003	46	6.4	4.7-8.6
2004	31	4.1	2.8-5.9
2005	46	5.8	4.3-7.9

Table 5. Ovarian Cancer. Five-Year Death Counts, Average Annual Age-Specific Mortality Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	FEMALES		
	Count	Rate	95% CI
00 - 04	<5	-	-
05 - 09	<5	-	-
10 - 14	<5	-	-
15 - 19	<5	-	-
20 - 24	<5	-	-
25 - 29	<5	-	-
30 - 34	7	-	-
35 - 39	17	1.3	0.7-2.0
40 - 44	29	2.2	1.4-3.1
45 - 49	81	6.4	5.1-8.0
50 - 54	129	11.2	9.4-13.3
55 - 59	122	13.0	10.8-15.6
60 - 64	153	22.6	19.2-26.5
65 - 69	187	34.8	30.0-40.1
70 - 74	176	37.2	31.9-43.1
75 - 79	204	46.5	40.3-53.3
80 - 84	180	53.0	45.6-61.4
85 +	156	46.5	39.5-54.4
Total/Crude	1,449	8.8	8.4-9.3

OVARIAN CANCER
Mortality

Table 6. Ovarian Cancer. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population and 95% Confidence Intervals (CI), by County and Race/Ethnicity, Greater Bay Area, 2001-2005

County	FEMALES		
	Count	Rate	95% CI
ALL RACES			
SF Bay Area:	1,313	8.4	7.9-8.8
Alameda	333	8.9	8.0-10.0
Contra Costa	261	9.8	8.6-11.1
Marin	67	7.8	6.0-10.2
San Francisco	169	7.2	6.2-8.5
San Mateo	172	8.3	7.1-9.7
Santa Clara	311	7.7	6.9-8.6
Monterey Bay Area:	136	8.1	6.8-9.6
Monterey	76	8.2	6.4-10.2
San Benito	9	-	-
Santa Cruz	51	7.7	5.7-10.3
WHITE (non-Hispanic)			
SF Bay Area:	936	10.0	9.4-10.7
Alameda	219	11.1	9.6-12.7
Contra Costa	213	11.2	9.7-12.9
Marin	63	8.1	6.2-10.9
San Francisco	82	8.6	6.8-11.3
San Mateo	132	10.1	8.4-12.3
Santa Clara	227	9.5	8.3-10.9
Monterey Bay Area:	100	8.2	6.7-10.2
Monterey	51	8.5	6.3-11.6
San Benito	6	-	-
Santa Cruz	43	7.9	5.7-11.1
BLACK (non-Hispanic)			
SF Bay Area:	76	6.9	5.4-8.7
Alameda	30	5.4	3.6-7.8
Contra Costa	19	9.6	5.7-15.3
Marin	<5	-	-
San Francisco	19	9.6	5.7-15.8
San Mateo	<5	-	-
Santa Clara	<5	-	-
Monterey Bay Area:	<5	-	-
Monterey	<5	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-

(Table Continues)

Table 6. Ovarian Cancer. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population and 95% Confidence Intervals (CI), by County and Race/Ethnicity, Greater Bay Area, 2001-2005

FEMALES			
County	Count	Rate	95% CI
HISPANIC			
SF Bay Area:	122	6.9	5.7-8.3
Alameda	36	9.2	6.4-12.9
Contra Costa	14	-	-
Marin	<5	-	-
San Francisco	19	7.6	4.6-12.1
San Mateo	10	-	-
Santa Clara	41	6.6	4.7-9.2
Monterey Bay Area:	24	8.0	5.0-12.4
Monterey	14	-	-
San Benito	<5	-	-
Santa Cruz	7	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)			
SF Bay Area:	175	5.0	4.3-5.8
Alameda	48	5.7	4.2-7.7
Contra Costa	13	-	-
Marin	<5	-	-
San Francisco	47	5.2	3.8-7.2
San Mateo	26	5.9	3.8-8.9
Santa Clara	40	3.9	2.8-5.4
Monterey Bay Area:	10	-	-
Monterey	9	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-