

STOMACH CANCER
Incidence

Table 1. Stomach Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	537	11.2	10.2-12.2	340	17.0	15.2-19.1	197	7.1	6.2-8.2
1989	528	10.9	10.0-11.9	319	15.5	13.8-17.4	209	7.5	6.5-8.6
1990	507	10.3	9.4-11.3	316	15.2	13.5-17.1	191	6.7	5.8-7.7
1991	526	10.6	9.7-11.5	315	15.0	13.3-16.9	211	7.3	6.4-8.4
1992	516	10.1	9.2-11.0	340	15.9	14.2-17.8	176	6.0	5.1-6.9
1993	538	10.4	9.5-11.3	336	15.6	13.9-17.5	202	6.7	5.8-7.7
1994	532	10.1	9.2-11.0	330	14.9	13.3-16.7	202	6.7	5.8-7.7
1995	528	9.8	9.0-10.7	330	14.4	12.9-16.1	198	6.4	5.6-7.4
1996	509	9.3	8.5-10.2	315	13.9	12.4-15.6	194	6.2	5.3-7.1
1997	500	9.0	8.2-9.8	308	13.1	11.7-14.7	192	5.9	5.1-6.8
1998	533	9.4	8.6-10.2	318	13.1	11.6-14.7	215	6.7	5.8-7.6
1999	564	9.7	8.9-10.6	311	12.5	11.1-14.0	253	7.6	6.7-8.7
2000	536	9.0	8.3-9.8	325	12.6	11.3-14.1	211	6.2	5.4-7.1
2001	511	8.5	7.8-9.2	321	12.2	10.9-13.7	190	5.5	4.8-6.4
2002	553	9.1	8.3-9.9	344	13.1	11.7-14.6	209	6.0	5.2-6.9
2003	525	8.4	7.7-9.1	316	11.5	10.2-12.9	209	6.0	5.2-6.9
2004	519	8.2	7.5-9.0	293	10.9	9.6-12.2	226	6.4	5.5-7.3
2005	536	8.3	7.6-9.0	332	11.8	10.5-13.1	204	5.7	4.9-6.6
WHITE (non-Hispanic)									
1988	320	9.2	8.2-10.3	207	14.7	12.7-16.9	113	5.5	4.5-6.7
1989	306	8.7	7.7-9.7	189	12.7	10.9-14.8	117	5.6	4.6-6.7
1990	305	8.7	7.7-9.7	194	13.2	11.4-15.4	111	5.2	4.3-6.3
1991	316	8.8	7.9-9.9	193	13.1	11.3-15.2	123	5.8	4.8-7.0
1992	297	8.3	7.4-9.3	197	13.4	11.5-15.5	100	4.7	3.8-5.8
1993	265	7.3	6.5-8.3	174	11.8	10.1-13.8	91	4.1	3.3-5.1
1994	276	7.6	6.7-8.5	182	11.9	10.2-13.8	94	4.4	3.5-5.4
1995	290	7.9	7.0-8.9	182	11.9	10.2-13.8	108	4.9	4.0-6.1
1996	279	7.6	6.7-8.5	173	11.3	9.7-13.2	106	4.8	3.9-5.9
1997	252	6.7	5.9-7.7	162	10.2	8.7-12.0	90	4.0	3.2-5.0
1998	251	6.6	5.9-7.5	163	10.3	8.7-12.0	88	3.9	3.2-4.9
1999	275	7.3	6.4-8.2	143	8.7	7.3-10.3	132	6.0	5.0-7.2
2000	243	6.4	5.6-7.3	156	9.6	8.1-11.2	87	3.9	3.1-4.9
2001	227	5.9	5.2-6.8	157	9.4	8.0-11.1	70	3.1	2.4-4.0
2002	258	6.8	6.0-7.7	169	10.2	8.7-12.0	89	4.0	3.2-5.0
2003	218	5.7	5.0-6.6	140	8.4	7.0-9.9	78	3.7	2.9-4.7
2004	228	5.9	5.1-6.7	136	8.1	6.8-9.7	92	4.2	3.3-5.2
2005	226	5.8	5.1-6.6	141	8.2	6.9-9.7	85	3.9	3.1-4.9

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Incidence

Table 1. Stomach Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard)
(cont) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity,
Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	52	15.7	11.6-21.3	32	21.8	14.3-33.6	20	11.0	6.6-17.6
1989	71	23.1	17.9-29.7	42	30.6	21.6-43.7	29	17.3	11.5-25.2
1990	51	15.4	11.3-20.8	29	21.1	13.4-32.8	22	11.7	7.2-18.2
1991	54	16.8	12.5-22.3	31	21.7	14.5-32.5	23	12.9	8.1-19.6
1992	56	17.2	12.9-22.7	35	26.1	17.6-38.2	21	11.1	6.8-17.2
1993	59	17.3	13.1-22.6	37	25.9	17.8-37.4	22	11.1	6.9-17.0
1994	63	18.3	14.0-23.6	37	26.6	18.3-38.2	26	12.9	8.4-19.0
1995	58	16.8	12.7-21.9	37	24.7	17.2-35.3	21	10.6	6.6-16.3
1996	46	13.0	9.5-17.6	30	21.5	14.1-32.1	16	7.8	4.4-12.7
1997	62	17.4	13.3-22.5	38	27.2	18.8-38.6	24	11.3	7.2-16.9
1998	53	14.5	10.8-19.1	29	19.2	12.6-28.8	24	11.3	7.2-16.8
1999	65	17.7	13.7-22.7	37	25.3	17.6-35.8	28	12.9	8.6-18.7
2000	41	11.2	8.0-15.2	29	18.7	12.3-27.7	12	-	-
2001	58	15.5	11.8-20.1	37	22.8	15.9-32.3	21	9.7	6.0-14.9
2002	43	11.0	7.9-14.9	23	12.9	8.0-20.3	20	9.1	5.6-14.3
2003	49	12.7	9.3-16.9	26	15.3	9.8-23.3	23	10.3	6.5-15.6
2004	43	11.4	8.2-15.4	30	18.7	12.5-27.4	13	-	-
2005	44	10.7	7.8-14.5	30	18.8	12.5-27.5	14	-	-
HISPANIC									
1988	71	16.1	12.3-20.8	40	19.8	13.7-28.7	31	12.9	8.6-18.8
1989	61	14.8	11.1-19.4	35	19.4	13.0-28.5	26	11.2	7.2-16.8
1990	57	12.9	9.6-17.2	33	18.6	12.1-27.7	24	9.3	5.8-14.3
1991	59	13.0	9.8-17.2	39	20.5	14.1-29.3	20	7.9	4.8-12.4
1992	66	12.8	9.8-16.6	47	19.2	13.6-27.0	19	7.4	4.4-11.8
1993	79	16.1	12.5-20.4	52	26.1	18.7-35.8	27	9.7	6.3-14.4
1994	78	15.5	12.1-19.6	47	22.3	15.8-31.1	31	10.8	7.2-15.6
1995	75	14.9	11.6-19.0	49	24.6	17.7-33.9	26	8.6	5.6-12.8
1996	62	11.2	8.4-14.7	42	19.0	13.1-27.2	20	6.2	3.7-9.9
1997	66	12.5	9.6-16.3	39	17.9	12.4-25.5	27	8.5	5.5-12.7
1998	77	13.3	10.4-16.9	42	16.4	11.4-23.5	35	10.9	7.5-15.4
1999	72	12.1	9.3-15.5	44	17.4	12.3-24.5	28	8.2	5.3-12.1
2000	91	14.2	11.2-17.8	51	18.6	13.3-25.8	40	11.0	7.7-15.2
2001	79	11.6	9.1-14.8	43	13.5	9.2-19.5	36	10.1	7.0-14.2
2002	83	12.0	9.5-15.2	49	16.9	12.1-23.4	34	8.6	5.9-12.3
2003	90	12.1	9.6-15.0	51	15.8	11.4-21.8	39	9.6	6.8-13.3
2004	98	12.8	10.3-15.9	44	14.3	10.1-20.0	54	12.3	9.2-16.2
2005	88	10.6	8.4-13.2	58	16.1	11.9-21.6	30	6.4	4.3-9.3

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Incidence

Table 1. Stomach Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	93	18.7	14.8-23.7	61	28.4	20.8-38.5	32	11.3	7.5-16.8
1989	88	17.1	13.4-21.6	52	22.0	16.0-30.2	36	12.9	8.7-18.6
1990	93	16.3	13.0-20.5	59	21.7	16.2-29.1	34	11.9	8.0-17.2
1991	97	16.2	12.9-20.2	52	19.0	13.8-26.1	45	13.9	9.9-19.3
1992	94	14.1	11.3-17.6	59	20.8	15.5-27.6	35	8.8	6.0-12.8
1993	134	19.2	16.0-23.1	73	23.0	17.8-29.5	61	16.1	12.1-21.1
1994	113	15.6	12.7-19.1	62	20.4	15.3-26.8	51	12.2	9.0-16.4
1995	102	12.5	10.1-15.4	60	16.5	12.4-21.8	42	9.3	6.6-12.9
1996	121	14.2	11.7-17.2	69	19.1	14.7-24.7	52	10.6	7.9-14.2
1997	120	13.6	11.2-16.5	69	18.8	14.4-24.3	51	9.9	7.3-13.3
1998	150	15.1	12.7-17.9	83	19.4	15.3-24.5	67	11.8	9.1-15.2
1999	149	14.8	12.5-17.5	85	19.6	15.5-24.7	64	11.2	8.6-14.5
2000	152	14.5	12.2-17.1	83	17.6	13.9-22.2	69	11.9	9.2-15.2
2001	140	12.6	10.5-14.9	78	16.2	12.7-20.6	62	9.8	7.5-12.7
2002	165	14.2	12.1-16.6	101	20.7	16.8-25.4	64	9.5	7.3-12.2
2003	161	12.8	10.9-15.0	95	17.6	14.1-21.8	66	9.3	7.1-11.9
2004	144	11.3	9.5-13.3	80	14.6	11.6-18.4	64	8.8	6.8-11.3
2005	174	12.9	11.0-14.9	102	17.9	14.5-21.9	72	9.3	7.3-11.8

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Incidence

Table 2. Stomach Cancer. Five-Year Case Counts, Average Annual Age-Specific Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	<5	-	-	<5	-	-
05 - 09	<5	-	-	<5	-	-
10 - 14	<5	-	-	<5	-	-
15 - 19	<5	-	-	<5	-	-
20 - 24	<5	-	-	<5	-	-
25 - 29	6	-	-	<5	-	-
30 - 34	16	1.1	0.6-1.8	13	-	-
35 - 39	28	1.9	1.3-2.8	23	1.7	1.1-2.6
40 - 44	49	3.5	2.6-4.6	29	2.2	1.4-3.1
45 - 49	69	5.4	4.2-6.8	51	4.0	3.0-5.3
50 - 54	103	9.2	7.5-11.1	72	6.3	4.9-7.9
55 - 59	151	17.0	14.4-19.9	67	7.2	5.6-9.1
60 - 64	158	25.1	21.4-29.4	78	11.5	9.1-14.4
65 - 69	215	45.7	39.8-52.2	105	19.5	16.0-23.6
70 - 74	217	56.2	48.9-64.2	138	29.1	24.5-34.4
75 - 79	228	72.7	63.6-82.8	143	32.6	27.5-38.4
80 - 84	210	96.4	83.8-110.4	152	44.8	38.0-52.5
85 +	155	98.3	83.4-115.1	161	48.0	40.9-56.0
Total/Crude	1,606	9.8	9.3-10.3	1,038	6.3	6.0-6.7

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Incidence

Table 3. Stomach Cancer. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	1,464	12.0	11.4-12.6	949	6.0	5.6-6.4
Alameda	359	12.8	11.5-14.2	234	6.2	5.4-7.1
Contra Costa	197	9.4	8.1-10.9	132	4.8	4.0-5.7
Marin	54	8.6	6.4-11.3	15	1.7	1.0-3.2
San Francisco	286	15.2	13.5-17.2	187	7.9	6.8-9.2
San Mateo	191	12.0	10.4-13.9	116	5.4	4.5-6.6
Santa Clara	377	11.8	10.6-13.1	265	6.6	5.8-7.4
Monterey Bay Area:	142	10.7	9.0-12.7	89	5.3	4.3-6.6
Monterey	92	12.0	9.7-14.8	61	6.5	4.9-8.3
San Benito	7	-	-	<5	-	-
Santa Cruz	43	9.3	6.7-12.6	24	4.2	2.7-6.3
WHITE (non-Hispanic)						
SF Bay Area:	659	8.8	8.2-9.6	379	3.9	3.5-4.3
Alameda	141	9.3	7.8-11.0	78	3.8	2.9-4.8
Contra Costa	110	7.2	5.9-8.8	66	3.4	2.6-4.4
Marin	46	8.4	6.1-11.7	8	-	-
San Francisco	81	9.3	7.4-12.1	56	5.1	3.8-7.4
San Mateo	103	9.6	7.8-11.8	58	4.0	3.0-5.5
Santa Clara	178	9.3	8.0-10.8	113	4.7	3.8-5.7
Monterey Bay Area:	84	8.9	7.1-11.2	35	2.9	2.0-4.2
Monterey	48	9.7	7.2-13.1	19	2.9	1.7-5.1
San Benito	<5	-	-	<5	-	-
Santa Cruz	32	8.5	5.8-12.3	15	3.2	1.7-5.6
BLACK (non-Hispanic)						
SF Bay Area:	140	17.5	14.7-20.9	89	8.1	6.5-10.0
Alameda	69	18.7	14.4-23.9	50	9.2	6.8-12.2
Contra Costa	24	17.1	10.6-26.7	13	-	-
Marin	<5	-	-	<5	-	-
San Francisco	26	17.9	11.7-26.7	18	9.0	5.3-15.0
San Mateo	7	-	-	5	-	-
Santa Clara	12	-	-	<5	-	-
Monterey Bay Area:	6	-	-	<5	-	-
Monterey	5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Incidence

Table 3. Stomach Cancer. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	209	15.8	13.5-18.3	162	9.2	7.8-10.8
Alameda	53	16.5	12.0-22.5	34	8.7	5.9-12.3
Contra Costa	31	15.8	10.2-24.0	25	8.8	5.6-13.4
Marin	<5	-	-	<5	-	-
San Francisco	42	24.5	17.5-33.8	20	8.4	5.1-13.1
San Mateo	23	14.3	8.7-22.9	29	11.9	7.9-17.4
Santa Clara	58	12.7	9.3-17.2	50	9.2	6.8-12.2
Monterey Bay Area:	36	13.5	8.8-20.4	31	10.2	6.8-15.1
Monterey	28	15.2	9.2-24.7	20	9.9	5.8-16.2
San Benito	<5	-	-	<5	-	-
Santa Cruz	6	-	-	8	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	440	17.3	15.7-19.1	307	9.0	8.0-10.1
Alameda	91	15.7	12.5-19.5	67	8.4	6.5-10.8
Contra Costa	29	13.7	8.9-20.4	26	8.9	5.8-13.4
Marin	<5	-	-	<5	-	-
San Francisco	133	19.1	16.0-22.8	91	10.0	8.0-12.5
San Mateo	56	19.9	14.8-26.6	22	5.6	3.5-8.7
Santa Clara	127	16.9	13.9-20.4	98	10.3	8.3-12.7
Monterey Bay Area:	16	19.0	10.8-31.1	21	16.8	10.4-26.6
Monterey	11	-	-	20	21.5	13.0-34.7
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Mortality

Table 4. Stomach Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	319	6.8	6.0-7.6	207	10.7	9.3-12.4	112	4.1	3.3-4.9
1989	311	6.4	5.7-7.2	184	9.2	7.9-10.7	127	4.5	3.8-5.4
1990	356	7.4	6.7-8.2	211	10.8	9.3-12.5	145	5.1	4.3-6.0
1991	367	7.4	6.7-8.2	218	10.6	9.2-12.2	149	5.2	4.4-6.1
1992	337	6.7	6.0-7.5	203	9.9	8.6-11.5	134	4.6	3.8-5.4
1993	335	6.6	5.9-7.3	200	9.5	8.2-11.0	135	4.5	3.7-5.3
1994	332	6.4	5.7-7.1	208	9.7	8.4-11.2	124	4.1	3.4-4.9
1995	367	6.9	6.2-7.7	219	10.2	8.9-11.7	148	4.8	4.0-5.6
1996	309	5.7	5.0-6.3	200	8.9	7.7-10.3	109	3.5	2.9-4.2
1997	341	6.2	5.5-6.9	204	8.9	7.7-10.3	137	4.2	3.6-5.0
1998	319	5.6	5.0-6.3	202	8.4	7.3-9.7	117	3.5	2.9-4.2
1999	342	5.9	5.3-6.6	182	7.5	6.4-8.7	160	4.8	4.0-5.6
2000	350	5.9	5.3-6.6	199	8.0	6.9-9.2	151	4.5	3.8-5.2
2001	280	4.7	4.1-5.3	160	6.2	5.3-7.3	120	3.5	2.9-4.2
2002	315	5.2	4.6-5.8	177	6.9	5.9-8.0	138	3.9	3.3-4.6
2003	315	5.0	4.5-5.6	191	7.2	6.2-8.3	124	3.5	2.9-4.2
2004	295	4.7	4.1-5.2	165	6.2	5.2-7.2	130	3.7	3.0-4.4
2005	319	5.0	4.5-5.6	181	6.6	5.7-7.7	138	3.8	3.2-4.6
WHITE (non-Hispanic)									
1988	186	5.4	4.6-6.2	117	8.5	7.0-10.3	69	3.3	2.6-4.2
1989	185	5.2	4.5-6.0	105	7.4	6.0-9.1	80	3.9	3.1-4.9
1990	217	6.2	5.4-7.1	124	8.8	7.3-10.6	93	4.3	3.5-5.4
1991	231	6.5	5.7-7.5	139	9.6	8.0-11.5	92	4.3	3.5-5.4
1992	181	5.0	4.3-5.9	104	7.5	6.1-9.2	77	3.6	2.8-4.6
1993	191	5.3	4.5-6.1	111	7.4	6.1-9.0	80	3.6	2.8-4.5
1994	176	4.8	4.1-5.6	114	7.8	6.5-9.5	62	2.8	2.1-3.7
1995	182	4.9	4.2-5.7	111	7.7	6.3-9.4	71	3.2	2.5-4.1
1996	156	4.2	3.6-5.0	99	6.5	5.3-8.0	57	2.6	2.0-3.5
1997	168	4.5	3.8-5.3	96	6.1	5.0-7.6	72	3.2	2.5-4.1
1998	167	4.4	3.8-5.1	108	6.8	5.5-8.2	59	2.5	1.9-3.3
1999	147	3.8	3.2-4.5	78	4.9	3.9-6.2	69	3.0	2.3-3.9
2000	145	3.8	3.2-4.5	79	4.9	3.8-6.1	66	2.9	2.3-3.8
2001	109	2.8	2.3-3.5	71	4.4	3.4-5.6	38	1.7	1.2-2.4
2002	146	3.8	3.2-4.4	87	5.3	4.2-6.6	59	2.5	1.9-3.3
2003	138	3.5	3.0-4.2	88	5.2	4.1-6.4	50	2.3	1.7-3.1
2004	105	2.7	2.2-3.3	60	3.8	2.9-4.9	45	2.1	1.5-2.8
2005	129	3.4	2.8-4.1	72	4.4	3.4-5.6	57	2.6	2.0-3.5

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Mortality

Table 4. Stomach Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard)
(cont) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity,
Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	34	11.1	7.5-16.0	27	19.4	12.3-30.9	7	-	-
1989	43	13.7	9.8-19.0	28	20.2	13.0-31.6	15	8.7	4.8-14.7
1990	34	10.8	7.4-15.6	16	12.2	6.6-22.0	18	9.7	5.6-15.7
1991	40	12.0	8.5-16.7	24	17.2	10.7-27.6	16	8.6	4.9-14.3
1992	40	11.8	8.3-16.3	25	18.2	11.5-28.6	15	7.7	4.3-13.0
1993	33	10.2	6.9-14.6	22	17.2	10.3-28.0	11	-	-
1994	47	14.5	10.6-19.5	28	20.6	13.4-31.3	19	10.0	6.0-15.7
1995	36	10.2	7.1-14.3	18	11.3	6.5-19.4	18	8.9	5.3-14.1
1996	39	11.1	7.8-15.3	24	17.3	10.8-27.1	15	7.2	4.0-11.9
1997	40	11.4	8.1-15.6	30	20.9	13.9-31.1	10	-	-
1998	47	13.3	9.8-17.9	30	21.7	14.3-32.2	17	7.9	4.6-12.7
1999	46	12.6	9.2-17.0	23	15.5	9.6-24.4	23	10.6	6.7-15.9
2000	36	10.0	7.0-14.0	25	17.5	11.2-26.7	11	-	-
2001	26	7.1	4.6-10.4	15	10.0	5.5-17.3	11	-	-
2002	31	8.0	5.4-11.5	19	11.3	6.7-18.6	12	-	-
2003	35	9.2	6.4-12.9	18	11.2	6.5-18.5	17	7.3	4.3-11.9
2004	41	10.5	7.5-14.3	25	14.6	9.2-22.3	16	7.2	4.1-11.9
2005	26	6.7	4.4-10.0	19	12.8	7.6-20.3	7	-	-
HISPANIC									
1988	42	9.6	6.8-13.4	25	12.8	8.0-20.4	17	7.1	4.0-11.7
1989	36	8.2	5.6-11.6	20	10.9	6.3-18.3	16	6.3	3.6-10.6
1990	42	10.0	7.1-13.9	24	13.9	8.4-22.2	18	7.4	4.3-12.0
1991	38	9.3	6.4-13.0	23	13.0	7.9-20.8	15	6.5	3.6-11.0
1992	49	10.2	7.4-13.7	30	13.6	8.9-20.7	19	7.3	4.4-11.7
1993	41	8.7	6.1-12.0	26	13.4	8.4-21.0	15	5.4	3.0-9.2
1994	44	9.2	6.6-12.6	30	14.8	9.6-22.3	14	-	-
1995	55	11.1	8.2-14.7	37	17.7	12.0-25.7	18	6.5	3.8-10.5
1996	45	8.4	6.0-11.5	31	15.0	9.7-22.6	14	-	-
1997	47	9.4	6.8-12.8	31	17.0	11.2-25.1	16	4.8	2.7-8.1
1998	42	7.6	5.4-10.6	27	12.1	7.6-18.9	15	4.6	2.5-7.9
1999	52	9.0	6.6-12.0	28	10.7	6.9-16.5	24	7.3	4.6-11.2
2000	62	9.9	7.5-13.0	37	14.9	10.0-21.8	25	6.9	4.4-10.4
2001	59	8.8	6.6-11.6	32	10.5	6.8-16.0	27	7.5	4.9-11.1
2002	48	7.7	5.6-10.4	24	9.4	5.7-14.9	24	6.8	4.3-10.2
2003	53	7.5	5.5-9.9	32	10.8	7.1-16.0	21	5.2	3.2-8.1
2004	63	8.4	6.3-10.9	31	10.8	7.0-16.0	32	7.3	4.9-10.5
2005	61	7.6	5.7-9.9	35	10.7	7.3-15.5	26	5.5	3.5-8.2

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Mortality

Table 4. Stomach Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	56	12.0	8.8-16.2	38	19.3	12.9-28.5	18	6.7	3.9-11.2
1989	47	9.8	7.0-13.7	31	12.6	8.2-19.2	16	7.4	4.0-12.6
1990	63	12.0	9.1-15.8	47	20.8	14.9-28.8	16	5.1	2.8-8.9
1991	57	9.4	7.0-12.6	31	11.2	7.4-17.0	26	7.9	5.0-12.3
1992	65	10.7	8.1-14.0	44	15.6	11.0-21.8	21	6.7	4.0-10.7
1993	70	10.9	8.4-14.1	41	14.6	10.2-20.6	29	8.0	5.3-11.9
1994	64	8.9	6.8-11.6	36	11.1	7.6-16.0	28	7.3	4.7-10.8
1995	93	11.9	9.5-14.8	52	16.1	11.9-21.7	41	8.7	6.1-12.1
1996	69	8.3	6.4-10.7	46	13.3	9.6-18.3	23	4.6	2.9-7.2
1997	86	10.0	7.9-12.5	47	13.2	9.6-18.1	39	7.6	5.4-10.7
1998	63	6.4	4.9-8.4	37	8.4	5.8-12.0	26	4.9	3.2-7.3
1999	97	10.0	8.1-12.4	53	12.7	9.4-17.1	44	7.9	5.7-10.8
2000	107	10.1	8.2-12.3	58	13.0	9.7-17.1	49	8.0	5.9-10.7
2001	85	8.0	6.3-9.9	41	8.6	6.1-12.0	44	7.4	5.3-10.0
2002	90	7.9	6.3-9.8	47	9.8	7.1-13.2	43	6.6	4.7-8.9
2003	89	7.3	5.8-9.0	53	10.8	8.0-14.3	36	5.0	3.5-6.9
2004	86	6.8	5.4-8.4	49	8.7	6.4-11.7	37	5.2	3.7-7.2
2005	102	7.6	6.2-9.3	54	9.3	7.0-12.3	48	6.3	4.7-8.5

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Mortality

Table 5. Stomach Cancer. Five-Year Death Counts, Average Annual Age-Specific Mortality Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	<5	-	-	<5	-	-
05 - 09	<5	-	-	<5	-	-
10 - 14	<5	-	-	<5	-	-
15 - 19	<5	-	-	<5	-	-
20 - 24	<5	-	-	<5	-	-
25 - 29	<5	-	-	<5	-	-
30 - 34	8	-	-	8	-	-
35 - 39	17	1.2	0.7-1.9	11	-	-
40 - 44	16	1.1	0.7-1.8	27	2.0	1.3-2.9
45 - 49	26	2.0	1.3-3.0	31	2.5	1.7-3.5
50 - 54	52	4.6	3.5-6.1	32	2.8	1.9-3.9
55 - 59	77	8.7	6.8-10.8	30	3.2	2.2-4.6
60 - 64	89	14.2	11.4-17.4	47	6.9	5.1-9.2
65 - 69	107	22.7	18.6-27.5	50	9.3	6.9-12.3
70 - 74	110	28.5	23.4-34.3	87	18.4	14.7-22.7
75 - 79	128	40.8	34.1-48.5	88	20.0	16.1-24.7
80 - 84	129	59.2	49.4-70.4	104	30.7	25.0-37.1
85 +	114	72.3	59.6-86.9	133	39.6	33.2-47.0
Total/Crude	874	5.3	5.0-5.7	650	4.0	3.7-4.3

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Mortality

Table 6. Stomach Cancer. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	784	6.6	6.1-7.1	605	3.8	3.5-4.1
Alameda	194	7.0	6.0-8.1	147	3.9	3.3-4.6
Contra Costa	113	5.6	4.6-6.8	89	3.3	2.6-4.0
Marin	20	3.3	2.0-5.2	12	-	-
San Francisco	147	7.9	6.6-9.3	130	5.3	4.4-6.4
San Mateo	115	7.4	6.1-8.9	71	3.3	2.6-4.3
Santa Clara	195	6.4	5.5-7.4	156	3.8	3.2-4.5
Monterey Bay Area:	90	6.9	5.5-8.5	45	2.7	1.9-3.6
Monterey	56	7.4	5.5-9.6	32	3.4	2.3-4.8
San Benito	5	-	-	<5	-	-
Santa Cruz	29	6.4	4.3-9.3	10	-	-
WHITE (non-Hispanic)						
SF Bay Area:	329	4.5	4.0-5.0	233	2.3	2.0-2.7
Alameda	70	4.6	3.5-5.8	55	2.7	2.0-3.6
Contra Costa	57	4.0	3.0-5.3	44	2.2	1.6-3.1
Marin	18	3.2	1.9-5.6	7	-	-
San Francisco	34	3.9	2.7-6.0	30	2.6	1.7-4.5
San Mateo	66	6.2	4.8-8.0	34	2.2	1.5-3.5
Santa Clara	84	4.6	3.7-5.8	63	2.5	1.9-3.3
Monterey Bay Area:	49	5.2	3.9-7.0	16	1.3	0.7-2.3
Monterey	27	5.5	3.6-8.2	9	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	20	5.4	3.3-8.6	6	-	-
BLACK (non-Hispanic)						
SF Bay Area:	93	12.0	9.6-14.9	63	5.7	4.4-7.4
Alameda	43	11.7	8.4-15.9	31	5.8	3.9-8.2
Contra Costa	15	10.8	5.9-19.0	7	-	-
Marin	<5	-	-	<5	-	-
San Francisco	21	14.7	9.1-22.9	16	7.8	4.4-13.5
San Mateo	9	-	-	8	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

STOMACH CANCER
Mortality

Table 6. Stomach Cancer. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	124	10.3	8.4-12.5	112	6.5	5.3-7.8
Alameda	28	9.6	6.2-14.6	25	6.4	4.1-9.6
Contra Costa	25	12.6	7.7-20.2	15	5.6	3.0-9.6
Marin	<5	-	-	<5	-	-
San Francisco	20	12.5	7.5-19.8	16	6.7	3.8-11.1
San Mateo	13	-	-	13	-	-
Santa Clara	37	9.1	6.2-13.3	41	7.6	5.4-10.4
Monterey Bay Area:	30	11.2	6.9-17.7	18	5.6	3.2-9.4
Monterey	20	10.1	5.5-18.1	13	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	8	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	236	9.3	8.2-10.7	197	5.9	5.1-6.8
Alameda	53	9.1	6.7-12.1	36	4.7	3.3-6.6
Contra Costa	15	6.8	3.7-11.9	23	8.0	5.0-12.3
Marin	<5	-	-	<5	-	-
San Francisco	71	10.4	8.1-13.3	68	7.3	5.7-9.5
San Mateo	27	10.7	6.8-16.3	16	3.9	2.2-6.5
Santa Clara	70	9.5	7.3-12.2	51	5.4	4.0-7.2
Monterey Bay Area:	8	-	-	11	-	-
Monterey	6	-	-	10	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.