

TESTICULAR CANCER
Incidence

Table 1. Testicular Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity, Greater Bay Area, 1988-2005

Year	MALES*		
	Count	Rate	95% CI
	ALL RACES		
1988	163	4.8	4.0-5.7
1989	186	5.4	4.7-6.4
1990	201	5.8	5.0-6.8
1991	182	5.3	4.5-6.2
1992	176	5.0	4.3-5.9
1993	155	4.6	3.9-5.4
1994	176	5.0	4.3-5.9
1995	179	5.2	4.5-6.1
1996	171	4.9	4.2-5.8
1997	172	4.9	4.2-5.7
1998	196	5.5	4.8-6.4
1999	213	5.9	5.1-6.8
2000	182	5.0	4.3-5.8
2001	183	5.0	4.3-5.9
2002	174	4.8	4.1-5.6
2003	199	5.7	4.9-6.5
2004	178	5.1	4.4-5.9
2005	194	5.6	4.8-6.4
	WHITE (non-Hispanic)		
1988	136	6.6	5.5-7.9
1989	142	6.9	5.8-8.3
1990	160	7.8	6.6-9.2
1991	144	7.2	6.1-8.6
1992	141	7.0	5.9-8.4
1993	117	6.2	5.1-7.6
1994	132	7.0	5.8-8.4
1995	137	7.6	6.4-9.1
1996	122	6.9	5.7-8.3
1997	124	6.9	5.7-8.4
1998	126	7.0	5.8-8.4
1999	156	8.7	7.3-10.2
2000	117	6.6	5.4-7.9
2001	123	7.1	5.9-8.6
2002	126	7.6	6.3-9.1
2003	130	8.2	6.8-9.8
2004	116	7.6	6.3-9.2
2005	131	8.7	7.2-10.4

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

TESTICULAR CANCER
Incidence

Table 1. Testicular Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard)
(cont) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity,
Greater Bay Area, 1988-2005

Year	MALES*		
	Count	Rate	95% CI
	BLACK (non-Hispanic)		
1988	<5	-	-
1989	<5	-	-
1990	<5	-	-
1991	<5	-	-
1992	<5	-	-
1993	<5	-	-
1994	<5	-	-
1995	<5	-	-
1996	<5	-	-
1997	5	-	-
1998	5	-	-
1999	7	-	-
2000	8	-	-
2001	8	-	-
2002	<5	-	-
2003	<5	-	-
2004	<5	-	-
2005	<5	-	-
	HISPANIC		
1988	19	2.5	1.5-6.8
1989	21	3.1	1.8-7.3
1990	32	4.9	3.2-9.2
1991	19	2.7	1.5-6.6
1992	21	3.6	2.0-7.7
1993	24	4.4	2.7-8.4
1994	29	3.6	2.3-7.2
1995	28	4.0	2.5-7.7
1996	25	3.3	2.0-6.8
1997	30	3.6	2.4-7.0
1998	44	5.5	3.9-9.1
1999	30	3.6	2.3-7.0
2000	35	3.7	2.6-6.8
2001	34	3.5	2.4-6.4
2002	36	3.8	2.6-6.6
2003	49	5.4	3.9-8.2
2004	45	4.6	3.3-7.1
2005	42	3.8	2.7-6.1

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

TESTICULAR CANCER
Incidence

Table 1. Testicular Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity, Greater Bay Area, 1988-2005

Year	MALES*		
	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)			
1988	6	-	-
1989	14	-	-
1990	5	-	-
1991	15	2.6	1.5-5.7
1992	11	-	-
1993	12	-	-
1994	13	-	-
1995	10	-	-
1996	15	2.2	1.2-4.4
1997	9	-	-
1998	17	2.5	1.5-4.6
1999	16	2.2	1.2-4.1
2000	16	2.1	1.2-3.9
2001	15	1.8	1.0-3.5
2002	8	-	-
2003	13	-	-
2004	11	-	-
2005	18	2.3	1.4-3.9

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

TESTICULAR CANCER
Incidence

Table 2. Testicular Cancer. Five-Year Case Counts, Average Annual Age-Specific Incidence Rates per 100,000 Males and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*		
	Count	Rate	95% CI
00 - 04	5	-	-
05 - 09	<5	-	-
10 - 14	<5	-	-
15 - 19	36	3.4	2.4-4.7
20 - 24	96	9.0	7.3-10.9
25 - 29	154	12.7	10.8-14.9
30 - 34	160	11.1	9.4-13.0
35 - 39	165	11.4	9.7-13.3
40 - 44	135	9.5	8.0-11.3
45 - 49	76	5.9	4.7-7.4
50 - 54	45	4.0	2.9-5.4
55 - 59	24	2.7	1.7-4.0
60 - 64	9	-	-
65 - 69	8	-	-
70 - 74	<5	-	-
75 - 79	<5	-	-
80 - 84	<5	-	-
85 +	<5	-	-
Total/Crude	928	5.6	5.3-6.0

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

TESTICULAR CANCER
Incidence

Table 3. Testicular Cancer. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI), by County and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*		
	Count	Rate	95% CI
ALL RACES			
SF Bay Area:	789	5.0	4.6-5.4
Alameda	178	4.6	3.9-5.3
Contra Costa	127	5.3	4.4-6.3
Marin	39	6.6	4.7-9.1
San Francisco	115	4.9	4.0-6.0
San Mateo	97	5.3	4.3-6.5
Santa Clara	233	4.9	4.3-5.6
Monterey Bay Area:	139	7.2	6.0-8.5
Monterey	73	6.4	5.0-8.2
San Benito	16	11.3	6.5-20.1
Santa Cruz	50	7.3	5.4-9.8
WHITE (non-Hispanic)			
SF Bay Area:	542	7.6	7.0-8.3
Alameda	104	6.8	5.5-8.3
Contra Costa	103	8.3	6.7-10.1
Marin	34	8.4	5.7-12.2
San Francisco	80	7.1	5.3-9.8
San Mateo	65	8.0	6.1-10.5
Santa Clara	156	8.6	7.3-10.1
Monterey Bay Area:	84	9.6	7.6-12.0
Monterey	40	10.5	7.5-14.5
San Benito	5	-	-
Santa Cruz	39	8.9	6.3-12.5
BLACK (non-Hispanic)			
SF Bay Area:	16	1.5	0.8-2.6
Alameda	8	-	-
Contra Costa	<5	-	-
Marin	<5	-	-
San Francisco	<5	-	-
San Mateo	<5	-	-
Santa Clara	<5	-	-
Monterey Bay Area:	<5	-	-
Monterey	<5	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

TESTICULAR CANCER
Incidence

Table 3. Testicular Cancer. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI), by County and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*		
	Count	Rate	95% CI
	HISPANIC		
SF Bay Area:	159	4.0	3.4-4.9
Alameda	50	5.1	3.7-7.8
Contra Costa	17	2.7	1.5-6.6
Marin	<5	-	-
San Francisco	13	-	-
San Mateo	22	4.7	2.9-9.1
Santa Clara	53	4.0	2.9-6.0
Monterey Bay Area:	47	5.0	3.6-8.4
Monterey	28	4.1	2.6-9.1
San Benito	10	-	-
Santa Cruz	9	-	-
	ASIAN/PACIFIC ISLANDER (non-Hispanic)		
SF Bay Area:	61	1.6	1.2-2.1
Alameda	13	-	-
Contra Costa	5	-	-
Marin	<5	-	-
San Francisco	15	2.4	1.4-4.2
San Mateo	8	-	-
Santa Clara	19	1.3	0.7-2.3
Monterey Bay Area:	<5	-	-
Monterey	<5	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

TESTICULAR CANCER
Mortality

Table 4. Testicular Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity, Greater Bay Area, 1988-2005

Year	MALES*		
	Count	Rate	95% CI
	ALL RACES		
1988	8	-	-
1989	10	-	-
1990	12	-	-
1991	7	-	-
1992	8	-	-
1993	10	-	-
1994	10	-	-
1995	7	-	-
1996	11	-	-
1997	9	-	-
1998	10	-	-
1999	7	-	-
2000	5	-	-
2001	13	-	-
2002	7	-	-
2003	5	-	-
2004	10	-	-
2005	11	-	-
	WHITE (non-Hispanic)		
1988	5	-	-
1989	<5	-	-
1990	7	-	-
1991	<5	-	-
1992	<5	-	-
1993	9	-	-
1994	5	-	-
1995	5	-	-
1996	9	-	-
1997	5	-	-
1998	8	-	-
1999	<5	-	-
2000	<5	-	-
2001	6	-	-
2002	5	-	-
2003	<5	-	-
2004	6	-	-
2005	5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

TESTICULAR CANCER
Mortality

Table 4. Testicular Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard)
(cont) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity,
Greater Bay Area, 1988-2005

Year	MALES*		
	Count	Rate	95% CI
	BLACK (non-Hispanic)		
1988	<5	-	-
1989	<5	-	-
1990	<5	-	-
1991	<5	-	-
1992	<5	-	-
1993	<5	-	-
1994	<5	-	-
1995	<5	-	-
1996	<5	-	-
1997	<5	-	-
1998	<5	-	-
1999	<5	-	-
2000	<5	-	-
2001	<5	-	-
2002	<5	-	-
2003	<5	-	-
2004	<5	-	-
2005	<5	-	-
	HISPANIC		
1988	<5	-	-
1989	<5	-	-
1990	<5	-	-
1991	<5	-	-
1992	<5	-	-
1993	<5	-	-
1994	5	-	-
1995	<5	-	-
1996	<5	-	-
1997	<5	-	-
1998	<5	-	-
1999	<5	-	-
2000	<5	-	-
2001	<5	-	-
2002	<5	-	-
2003	<5	-	-
2004	<5	-	-
2005	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

TESTICULAR CANCER
Mortality

Table 4. Testicular Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI) by Race/Ethnicity, Greater Bay Area, 1988-2005

Year	MALES*		
	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)			
1988	<5	-	-
1989	<5	-	-
1990	<5	-	-
1991	<5	-	-
1992	<5	-	-
1993	<5	-	-
1994	<5	-	-
1995	<5	-	-
1996	<5	-	-
1997	<5	-	-
1998	<5	-	-
1999	<5	-	-
2000	<5	-	-
2001	<5	-	-
2002	<5	-	-
2003	<5	-	-
2004	<5	-	-
2005	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

TESTICULAR CANCER
Mortality

Table 5. Testicular Cancer. Five-Year Death Counts, Average Annual Age-Specific Mortality Rates per 100,000 Males and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*		
	Count	Rate	95% CI
00 - 04	<5	-	-
05 - 09	<5	-	-
10 - 14	<5	-	-
15 - 19	<5	-	-
20 - 24	6	-	-
25 - 29	7	-	-
30 - 34	<5	-	-
35 - 39	7	-	-
40 - 44	<5	-	-
45 - 49	5	-	-
50 - 54	<5	-	-
55 - 59	<5	-	-
60 - 64	<5	-	-
65 - 69	<5	-	-
70 - 74	<5	-	-
75 - 79	<5	-	-
80 - 84	<5	-	-
85 +	<5	-	-
Total/Crude	46	0.3	0.2-0.4

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

TESTICULAR CANCER
Mortality

Table 6. Testicular Cancer. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population and 95% Confidence Intervals (CI), by County and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*		
	Count	Rate	95% CI
ALL RACES			
SF Bay Area:	40	0.3	0.2-0.4
Alameda	12	-	-
Contra Costa	<5	-	-
Marin	<5	-	-
San Francisco	7	-	-
San Mateo	<5	-	-
Santa Clara	13	-	-
Monterey Bay Area:	6	-	-
Monterey	<5	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-
WHITE (non-Hispanic)			
SF Bay Area:	23	0.3	0.2-0.5
Alameda	7	-	-
Contra Costa	<5	-	-
Marin	<5	-	-
San Francisco	<5	-	-
San Mateo	<5	-	-
Santa Clara	8	-	-
Monterey Bay Area:	<5	-	-
Monterey	<5	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-
BLACK (non-Hispanic)			
SF Bay Area:	<5	-	-
Alameda	<5	-	-
Contra Costa	<5	-	-
Marin	<5	-	-
San Francisco	<5	-	-
San Mateo	<5	-	-
Santa Clara	<5	-	-
Monterey Bay Area:	<5	-	-
Monterey	<5	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

Table 6. Testicular Cancer. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) per 100,000 Population and 95% Confidence Intervals (CI), by County and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*		
	Count	Rate	95% CI
	HISPANIC		
SF Bay Area:	11	-	-
Alameda	<5	-	-
Contra Costa	<5	-	-
Marin	<5	-	-
San Francisco	<5	-	-
San Mateo	<5	-	-
Santa Clara	<5	-	-
Monterey Bay Area:	5	-	-
Monterey	<5	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-
	ASIAN/PACIFIC ISLANDER (non-Hispanic)		
SF Bay Area:	5	-	-
Alameda	<5	-	-
Contra Costa	<5	-	-
Marin	<5	-	-
San Francisco	<5	-	-
San Mateo	<5	-	-
Santa Clara	<5	-	-
Monterey Bay Area:	<5	-	-
Monterey	<5	-	-
San Benito	<5	-	-
Santa Cruz	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.