

THYROID CANCER
Incidence

Table 1. Thyroid Gland Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	319	5.5	4.9-6.1	84	3.2	2.5-4.1	235	7.8	6.8-8.9
1989	290	5.0	4.4-5.6	81	3.0	2.3-3.8	209	6.9	6.0-7.9
1990	317	5.4	4.8-6.0	78	3.0	2.4-3.9	239	7.9	6.9-9.0
1991	315	5.4	4.8-6.0	88	3.2	2.5-4.0	227	7.5	6.6-8.6
1992	389	6.5	5.8-7.2	86	3.1	2.5-3.9	303	9.8	8.7-11.0
1993	300	5.0	4.5-5.6	93	3.4	2.7-4.2	207	6.7	5.8-7.7
1994	351	5.8	5.2-6.5	90	3.2	2.5-4.0	261	8.5	7.5-9.6
1995	395	6.4	5.8-7.1	96	3.4	2.7-4.2	299	9.5	8.4-10.6
1996	396	6.4	5.8-7.1	91	3.2	2.6-4.0	305	9.7	8.6-10.8
1997	395	6.3	5.7-7.0	100	3.5	2.9-4.3	295	9.2	8.2-10.3
1998	411	6.3	5.7-7.0	96	3.1	2.5-3.9	315	9.5	8.5-10.6
1999	417	6.3	5.7-7.0	118	3.9	3.2-4.7	299	8.9	7.9-10.0
2000	407	6.1	5.5-6.7	107	3.4	2.8-4.1	300	8.8	7.8-9.8
2001	404	5.9	5.4-6.6	99	3.0	2.5-3.7	305	8.8	7.9-9.9
2002	485	7.2	6.5-7.8	128	4.0	3.3-4.8	357	10.4	9.3-11.5
2003	462	6.8	6.2-7.5	103	3.2	2.6-3.9	359	10.5	9.4-11.6
2004	502	7.5	6.8-8.2	103	3.3	2.6-4.0	399	11.8	10.7-13.0
2005	550	8.1	7.4-8.8	108	3.3	2.7-4.0	442	12.8	11.6-14.0
WHITE (non-Hispanic)									
1988	200	5.3	4.5-6.1	60	3.3	2.5-4.3	140	7.2	6.1-8.6
1989	186	5.0	4.3-5.8	59	3.2	2.4-4.2	127	6.6	5.5-7.9
1990	204	5.5	4.7-6.3	50	2.7	2.0-3.7	154	8.3	7.0-9.8
1991	205	5.5	4.8-6.4	62	3.4	2.6-4.5	143	7.6	6.4-9.1
1992	213	5.9	5.1-6.7	53	3.0	2.3-4.1	160	8.7	7.4-10.3
1993	183	5.0	4.3-5.8	63	3.6	2.7-4.6	120	6.5	5.4-7.8
1994	188	5.2	4.5-6.1	60	3.4	2.6-4.5	128	7.1	5.9-8.6
1995	244	6.8	6.0-7.8	60	3.5	2.6-4.5	184	10.3	8.9-12.0
1996	231	6.6	5.7-7.5	54	3.1	2.3-4.1	177	10.1	8.6-11.8
1997	240	6.7	5.9-7.7	72	4.2	3.3-5.3	168	9.4	8.0-11.0
1998	212	5.8	5.0-6.6	60	3.3	2.5-4.3	152	8.4	7.1-9.9
1999	239	6.6	5.8-7.5	77	4.3	3.4-5.5	162	9.0	7.7-10.6
2000	234	6.5	5.6-7.4	69	3.9	3.0-4.9	165	9.1	7.8-10.7
2001	223	6.3	5.5-7.2	59	3.2	2.4-4.2	164	9.5	8.0-11.1
2002	248	6.9	6.0-7.8	75	4.1	3.2-5.2	173	9.7	8.3-11.4
2003	255	7.3	6.4-8.3	63	3.6	2.7-4.7	192	11.1	9.6-12.9
2004	265	7.8	6.8-8.8	69	4.1	3.1-5.2	196	11.7	10.1-13.6
2005	273	7.8	6.9-8.9	60	3.4	2.6-4.5	213	12.3	10.6-14.2

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Incidence

Table 1. Thyroid Gland Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard)
(cont) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity,
Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	12	-	-	<5	-	-	8	-	-
1989	5	-	-	<5	-	-	<5	-	-
1990	8	-	-	<5	-	-	6	-	-
1991	10	-	-	<5	-	-	6	-	-
1992	16	3.6	2.0-6.4	<5	-	-	15	6.7	3.7-11.4
1993	11	-	-	7	-	-	<5	-	-
1994	17	3.7	2.1-6.3	5	-	-	12	-	-
1995	12	-	-	<5	-	-	9	-	-
1996	14	-	-	<5	-	-	11	-	-
1997	8	-	-	<5	-	-	6	-	-
1998	19	4.2	2.5-6.7	6	-	-	13	-	-
1999	13	-	-	<5	-	-	11	-	-
2000	15	3.3	1.8-5.6	6	-	-	9	-	-
2001	18	4.0	2.4-6.5	<5	-	-	14	-	-
2002	13	-	-	<5	-	-	9	-	-
2003	23	5.1	3.2-7.7	<5	-	-	19	8.0	4.8-12.8
2004	13	-	-	<5	-	-	9	-	-
2005	23	5.3	3.3-8.1	9	-	-	14	-	-
HISPANIC									
1988	50	6.3	4.4-9.1	9	-	-	41	9.5	6.6-13.7
1989	42	6.3	4.3-9.1	8	-	-	34	10.0	6.7-14.6
1990	47	6.4	4.4-9.1	12	-	-	35	8.4	5.6-12.5
1991	43	5.0	3.5-7.3	9	-	-	34	7.9	5.3-11.8
1992	65	7.0	5.1-9.5	15	4.4	2.2-9.3	50	9.8	7.0-13.7
1993	42	5.5	3.8-8.0	10	-	-	32	7.8	5.2-11.6
1994	65	6.9	5.2-9.2	11	-	-	54	11.4	8.4-15.5
1995	55	5.3	3.8-7.4	14	-	-	41	7.5	5.2-10.8
1996	55	6.1	4.4-8.4	15	3.3	1.6-7.3	40	8.7	6.1-12.4
1997	58	5.4	3.9-7.4	10	-	-	48	8.6	6.2-11.9
1998	58	5.7	4.1-7.8	9	-	-	49	9.1	6.5-12.6
1999	62	5.8	4.3-7.9	15	3.1	1.6-6.7	47	8.4	6.0-11.8
2000	63	5.7	4.2-7.7	13	-	-	50	8.9	6.4-12.2
2001	53	4.7	3.4-6.6	15	3.5	1.7-7.1	38	6.3	4.4-9.1
2002	92	8.0	6.3-10.1	17	3.4	1.8-6.8	75	12.7	9.8-16.3
2003	79	7.1	5.5-9.2	14	-	-	65	11.2	8.5-14.6
2004	89	7.2	5.7-9.2	8	-	-	81	13.1	10.3-16.7
2005	99	8.0	6.4-10.0	13	-	-	86	14.0	11.1-17.5

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Incidence

Table 1. Thyroid Gland Cancer. Annual Case Counts, Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	50	7.1	5.2-9.9	9	-	-	41	10.6	7.5-15.2
1989	56	7.1	5.3-9.7	12	-	-	44	10.3	7.4-14.7
1990	55	6.8	5.1-9.3	13	-	-	42	9.4	6.7-13.4
1991	53	6.0	4.5-8.3	13	-	-	40	8.3	5.9-11.9
1992	89	10.0	7.9-12.7	15	3.5	1.9-6.8	74	15.9	12.3-20.5
1993	57	6.1	4.6-8.2	12	-	-	45	9.0	6.5-12.6
1994	75	7.7	5.9-9.9	11	-	-	64	12.1	9.2-15.8
1995	78	7.1	5.6-9.1	17	3.5	2.0-6.2	61	10.4	7.9-13.7
1996	87	8.0	6.4-10.1	19	4.2	2.4-7.2	68	11.6	8.9-15.0
1997	85	7.6	6.0-9.6	15	3.1	1.7-5.7	70	11.5	8.9-14.9
1998	110	8.6	7.1-10.6	20	3.3	2.0-5.6	90	13.2	10.6-16.5
1999	88	6.8	5.4-8.5	21	3.5	2.1-5.9	67	9.7	7.5-12.6
2000	85	6.4	5.1-8.0	17	2.7	1.6-4.7	68	9.7	7.5-12.4
2001	104	7.1	5.8-8.7	21	3.1	1.9-5.1	83	10.7	8.5-13.4
2002	124	8.4	7.0-10.1	30	4.7	3.1-7.1	94	11.9	9.6-14.7
2003	99	6.5	5.3-8.0	21	3.1	1.9-5.0	78	9.7	7.7-12.2
2004	133	8.8	7.4-10.5	21	3.0	1.8-4.8	112	14.2	11.6-17.1
2005	145	9.2	7.8-10.9	24	3.3	2.1-5.1	121	14.5	12.0-17.4

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Incidence

Table 2. Thyroid Gland Cancer. Five-Year Case Counts, Average Annual Age-Specific Incidence Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	<5	-	-	<5	-	-
05 - 09	<5	-	-	<5	-	-
10 - 14	<5	-	-	7	-	-
15 - 19	7	-	-	33	3.3	2.3-4.7
20 - 24	13	-	-	77	8.0	6.3-10.0
25 - 29	16	1.3	0.8-2.1	123	11.1	9.2-13.2
30 - 34	50	3.5	2.6-4.6	191	14.5	12.5-16.7
35 - 39	51	3.5	2.6-4.6	223	16.7	14.6-19.1
40 - 44	41	2.9	2.1-3.9	214	15.8	13.8-18.1
45 - 49	57	4.5	3.4-5.8	226	17.9	15.7-20.4
50 - 54	60	5.3	4.1-6.9	204	17.7	15.4-20.3
55 - 59	58	6.5	5.0-8.4	169	18.1	15.4-21.0
60 - 64	58	9.2	7.0-11.9	107	15.8	13.0-19.1
65 - 69	43	9.1	6.6-12.3	93	17.3	14.0-21.2
70 - 74	39	10.1	7.2-13.8	82	17.3	13.8-21.5
75 - 79	27	8.6	5.7-12.5	54	12.3	9.2-16.1
80 - 84	14	-	-	32	9.4	6.5-13.3
85 +	5	-	-	25	7.5	4.8-11.0
Total/Crude	541	3.3	3.0-3.6	1,862	11.4	10.8-11.9

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Incidence

Table 3. Thyroid Gland Cancer. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	473	3.3	3.0-3.6	1,609	10.4	9.9-11.0
Alameda	101	2.8	2.3-3.5	351	9.2	8.3-10.3
Contra Costa	67	2.7	2.1-3.5	245	9.3	8.1-10.5
Marin	32	4.4	3.0-6.4	70	9.9	7.6-12.8
San Francisco	75	3.6	2.8-4.6	244	11.5	10.1-13.1
San Mateo	62	3.5	2.7-4.5	220	11.7	10.2-13.4
Santa Clara	136	3.4	2.9-4.1	479	11.3	10.3-12.3
Monterey Bay Area:	68	4.2	3.2-5.4	253	14.8	13.0-16.7
Monterey	37	4.2	2.9-5.9	166	17.7	15.1-20.6
San Benito	<5	-	-	17	13.3	7.7-21.9
Santa Cruz	29	4.8	3.2-7.0	70	10.9	8.5-13.9
WHITE (non-Hispanic)						
SF Bay Area:	280	3.5	3.1-4.0	782	10.3	9.5-11.0
Alameda	60	3.6	2.8-4.8	144	8.7	7.3-10.4
Contra Costa	43	2.8	2.0-3.8	141	9.3	7.7-11.0
Marin	29	4.6	3.0-7.1	56	9.4	7.0-12.9
San Francisco	45	4.4	3.2-6.6	108	11.5	9.2-14.7
San Mateo	31	3.1	2.1-4.7	115	12.8	10.4-15.7
Santa Clara	72	3.5	2.7-4.4	218	11.1	9.6-12.8
Monterey Bay Area:	46	4.6	3.3-6.3	156	15.6	13.2-18.4
Monterey	24	5.1	3.3-7.9	95	20.1	16.1-25.0
San Benito	<5	-	-	12	-	-
Santa Cruz	21	4.6	2.8-7.3	49	10.7	7.8-14.5
BLACK (non-Hispanic)						
SF Bay Area:	22	2.2	1.4-3.6	61	5.3	4.1-6.9
Alameda	7	-	-	28	5.0	3.3-7.3
Contra Costa	<5	-	-	8	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	11	-	-
San Mateo	<5	-	-	9	-	-
Santa Clara	7	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Incidence

Table 3. Thyroid Gland Cancer. Five-Year Case Counts, Average Annual Age-Adjusted (2000 US Population Standard) Incidence Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	54	2.9	2.1-4.0	283	11.5	10.2-13.1
Alameda	10	-	-	67	11.0	8.4-14.3
Contra Costa	8	-	-	47	12.7	9.2-17.5
Marin	<5	-	-	8	-	-
San Francisco	8	-	-	29	11.8	7.9-17.2
San Mateo	7	-	-	32	10.0	6.7-14.6
Santa Clara	19	3.2	1.8-5.9	100	11.9	9.5-14.7
Monterey Bay Area:	13	-	-	62	11.6	8.7-15.7
Monterey	7	-	-	42	12.0	8.3-17.6
San Benito	<5	-	-	<5	-	-
Santa Cruz	5	-	-	16	12.7	6.9-23.9
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	112	3.4	2.8-4.1	462	12.0	10.9-13.1
Alameda	23	2.9	1.8-4.7	103	10.8	8.8-13.2
Contra Costa	12	-	-	46	12.1	8.8-16.5
Marin	<5	-	-	<5	-	-
San Francisco	20	3.0	1.8-4.8	94	12.6	10.1-15.6
San Mateo	22	5.1	3.2-8.5	63	13.0	9.9-16.8
Santa Clara	35	3.3	2.2-4.8	152	12.4	10.5-14.7
Monterey Bay Area:	5	-	-	26	21.6	14.1-32.4
Monterey	<5	-	-	22	25.5	15.9-39.8
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Mortality

Table 4. Thyroid Gland Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES									
1988	26	0.5	0.4-0.8	9	-	-	17	0.6	0.4-1.0
1989	29	0.6	0.4-0.9	15	0.7	0.4-1.2	14	-	-
1990	18	0.4	0.2-0.6	8	-	-	10	-	-
1991	23	0.5	0.3-0.7	10	-	-	13	-	-
1992	24	0.5	0.3-0.7	7	-	-	17	0.6	0.3-1.0
1993	30	0.6	0.4-0.8	12	-	-	18	0.6	0.4-0.9
1994	18	0.4	0.2-0.6	9	-	-	9	-	-
1995	31	0.6	0.4-0.8	13	-	-	18	0.6	0.4-1.0
1996	35	0.7	0.5-0.9	9	-	-	26	0.8	0.5-1.2
1997	26	0.5	0.3-0.7	12	-	-	14	-	-
1998	29	0.5	0.4-0.8	13	-	-	16	0.5	0.3-0.8
1999	30	0.5	0.4-0.8	11	-	-	19	0.6	0.4-0.9
2000	31	0.5	0.4-0.8	15	0.6	0.3-1.0	16	0.5	0.3-0.8
2001	17	0.3	0.2-0.5	9	-	-	8	-	-
2002	34	0.6	0.4-0.8	14	-	-	20	0.6	0.4-0.9
2003	27	0.4	0.3-0.6	10	-	-	17	0.5	0.3-0.8
2004	24	0.4	0.2-0.6	11	-	-	13	-	-
2005	38	0.6	0.4-0.8	10	-	-	28	0.8	0.5-1.1
WHITE (non-Hispanic)									
1988	15	0.4	0.2-0.7	7	-	-	8	-	-
1989	22	0.6	0.4-1.0	12	-	-	10	-	-
1990	8	-	-	5	-	-	<5	-	-
1991	13	-	-	6	-	-	7	-	-
1992	17	0.5	0.3-0.8	5	-	-	12	-	-
1993	17	0.5	0.3-0.8	6	-	-	11	-	-
1994	8	-	-	5	-	-	<5	-	-
1995	20	0.6	0.3-0.9	9	-	-	11	-	-
1996	22	0.6	0.4-0.9	7	-	-	15	0.7	0.4-1.2
1997	10	-	-	5	-	-	5	-	-
1998	17	0.5	0.3-0.8	10	-	-	7	-	-
1999	11	-	-	5	-	-	6	-	-
2000	20	0.5	0.3-0.9	13	-	-	7	-	-
2001	7	-	-	5	-	-	<5	-	-
2002	19	0.5	0.3-0.8	9	-	-	10	-	-
2003	15	0.4	0.2-0.7	6	-	-	9	-	-
2004	10	-	-	5	-	-	5	-	-
2005	21	0.5	0.3-0.8	5	-	-	16	0.7	0.4-1.2

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Mortality

Table 4. Thyroid Gland Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard) (cont) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
BLACK (non-Hispanic)									
1988	<5	-	-	<5	-	-	<5	-	-
1989	<5	-	-	<5	-	-	<5	-	-
1990	<5	-	-	<5	-	-	<5	-	-
1991	<5	-	-	<5	-	-	<5	-	-
1992	<5	-	-	<5	-	-	<5	-	-
1993	<5	-	-	<5	-	-	<5	-	-
1994	<5	-	-	<5	-	-	<5	-	-
1995	<5	-	-	<5	-	-	<5	-	-
1996	<5	-	-	<5	-	-	<5	-	-
1997	<5	-	-	<5	-	-	<5	-	-
1998	<5	-	-	<5	-	-	<5	-	-
1999	<5	-	-	<5	-	-	<5	-	-
2000	<5	-	-	<5	-	-	<5	-	-
2001	<5	-	-	<5	-	-	<5	-	-
2002	<5	-	-	<5	-	-	<5	-	-
2003	<5	-	-	<5	-	-	<5	-	-
2004	<5	-	-	<5	-	-	<5	-	-
2005	<5	-	-	<5	-	-	<5	-	-
HISPANIC									
1988	<5	-	-	<5	-	-	<5	-	-
1989	<5	-	-	<5	-	-	<5	-	-
1990	5	-	-	<5	-	-	<5	-	-
1991	<5	-	-	<5	-	-	<5	-	-
1992	<5	-	-	<5	-	-	<5	-	-
1993	<5	-	-	<5	-	-	<5	-	-
1994	8	-	-	<5	-	-	6	-	-
1995	5	-	-	<5	-	-	<5	-	-
1996	5	-	-	<5	-	-	<5	-	-
1997	7	-	-	<5	-	-	<5	-	-
1998	<5	-	-	<5	-	-	<5	-	-
1999	7	-	-	<5	-	-	6	-	-
2000	<5	-	-	<5	-	-	<5	-	-
2001	<5	-	-	<5	-	-	<5	-	-
2002	<5	-	-	<5	-	-	<5	-	-
2003	<5	-	-	<5	-	-	<5	-	-
2004	<5	-	-	<5	-	-	<5	-	-
2005	<5	-	-	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Mortality

Table 4. Thyroid Gland Cancer. Annual Death Counts, Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by Sex and Race/Ethnicity, Greater Bay Area, 1988-2005

Year	TOTAL			MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
ASIAN/PACIFIC ISLANDER (non-Hispanic)									
1988	6	-	-	<5	-	-	5	-	-
1989	5	-	-	<5	-	-	<5	-	-
1990	<5	-	-	<5	-	-	<5	-	-
1991	6	-	-	<5	-	-	5	-	-
1992	6	-	-	<5	-	-	5	-	-
1993	8	-	-	5	-	-	<5	-	-
1994	<5	-	-	<5	-	-	<5	-	-
1995	6	-	-	<5	-	-	5	-	-
1996	7	-	-	<5	-	-	7	-	-
1997	9	-	-	<5	-	-	6	-	-
1998	8	-	-	<5	-	-	6	-	-
1999	10	-	-	<5	-	-	7	-	-
2000	6	-	-	<5	-	-	6	-	-
2001	6	-	-	<5	-	-	<5	-	-
2002	9	-	-	<5	-	-	6	-	-
2003	7	-	-	<5	-	-	<5	-	-
2004	6	-	-	<5	-	-	<5	-	-
2005	13	-	-	<5	-	-	10	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Mortality

Table 5. Thyroid Gland Cancer. Five-Year Death Counts, Average Annual Age-Specific Mortality Rates per 100,000 Population and 95% Confidence Intervals (CI) for All Races Combined, by Sex, 2001-2005, Greater Bay Area

Age at Diagnosis	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
00 - 04	<5	-	-	<5	-	-
05 - 09	<5	-	-	<5	-	-
10 - 14	<5	-	-	<5	-	-
15 - 19	<5	-	-	<5	-	-
20 - 24	<5	-	-	<5	-	-
25 - 29	<5	-	-	<5	-	-
30 - 34	<5	-	-	<5	-	-
35 - 39	<5	-	-	<5	-	-
40 - 44	<5	-	-	<5	-	-
45 - 49	<5	-	-	<5	-	-
50 - 54	6	-	-	<5	-	-
55 - 59	<5	-	-	7	-	-
60 - 64	8	-	-	7	-	-
65 - 69	6	-	-	12	-	-
70 - 74	7	-	-	10	-	-
75 - 79	8	-	-	14	-	-
80 - 84	7	-	-	11	-	-
85 +	<5	-	-	18	5.4	3.2-8.5
Total/Crude	54	0.3	0.3-0.4	86	0.5	0.4-0.7

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Mortality

Table 6. Thyroid Gland Cancer. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
ALL RACES						
SF Bay Area:	51	0.4	0.3-0.6	83	0.5	0.4-0.6
Alameda	8	-	-	23	0.6	0.4-0.9
Contra Costa	8	-	-	9	-	-
Marin	<5	-	-	<5	-	-
San Francisco	9	-	-	12	-	-
San Mateo	11	-	-	10	-	-
Santa Clara	14	-	-	28	0.7	0.5-1.0
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
WHITE (non-Hispanic)						
SF Bay Area:	27	0.3	0.2-0.5	40	0.4	0.3-0.6
Alameda	<5	-	-	13	-	-
Contra Costa	5	-	-	5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	6	-	-
San Mateo	6	-	-	5	-	-
Santa Clara	8	-	-	10	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
BLACK (non-Hispanic)						
SF Bay Area:	<5	-	-	8	-	-
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

(Table Continues)

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.

THYROID CANCER
Mortality

Table 6. Thyroid Gland Cancer. Five-Year Death Counts, Average Annual Age-Adjusted (2000 US Population Standard) Mortality Rates per 100,000 Population, and 95% Confidence Intervals (CI), by County, Sex, and Race/Ethnicity, Greater Bay Area, 2001-2005

County	MALES*			FEMALES		
	Count	Rate	95% CI	Count	Rate	95% CI
HISPANIC						
SF Bay Area:	7	-	-	8	-	-
Alameda	<5	-	-	<5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	<5	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-
ASIAN/PACIFIC ISLANDER (non-Hispanic)						
SF Bay Area:	13	-	-	27	0.8	0.5-1.2
Alameda	<5	-	-	5	-	-
Contra Costa	<5	-	-	<5	-	-
Marin	<5	-	-	<5	-	-
San Francisco	<5	-	-	<5	-	-
San Mateo	<5	-	-	<5	-	-
Santa Clara	<5	-	-	13	-	-
Monterey Bay Area:	<5	-	-	<5	-	-
Monterey	<5	-	-	<5	-	-
San Benito	<5	-	-	<5	-	-
Santa Cruz	<5	-	-	<5	-	-

*Veterans Health Administration hospitals did not report cancer cases in 2005. Therefore, case counts and incidence rates for adult males in 2005 are underestimated and should be interpreted with caution.